

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031623\
 Data File : VU053251.D
 Acq On : 17 Mar 2023 01:20
 Operator : JC/MD
 Sample : 01930-22 200X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EYFG1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031523WMA.M

Title : VOC Analysis

Signal : TIC: VU053251.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.597	73	80	94	rVB	70119	78999	14.19%	1.858%
2	1.909	170	177	191	rVB	58192	77375	13.90%	1.820%
3	2.565	369	381	394	rBV	111916	179120	32.18%	4.213%
4	2.662	408	411	413	rBV	302	204	0.04%	0.005%
5	3.182	561	573	586	rVB	7514	15681	2.82%	0.369%
6	3.555	687	689	692	rBV2	188	98	0.02%	0.002%
7	3.764	751	754	756	rVB	184	97	0.02%	0.002%
8	4.031	835	837	839	rBV	200	81	0.01%	0.002%
9	4.128	865	867	869	rBV	132	56	0.01%	0.001%
10	4.205	888	891	894	rBV2	199	116	0.02%	0.003%
11	4.256	905	907	912	rVB2	229	134	0.02%	0.003%
12	4.453	966	968	971	rVB2	196	109	0.02%	0.003%
13	4.613	1004	1018	1039	rBV2	50427	119865	21.53%	2.819%
14	4.829	1081	1085	1088	rVB3	406	230	0.04%	0.005%
15	4.919	1111	1113	1115	rBV	186	90	0.02%	0.002%
16	4.951	1121	1123	1126	rVB	191	61	0.01%	0.001%
17	5.057	1141	1156	1177	rBV	102401	225112	40.44%	5.295%
18	5.186	1194	1196	1198	rVB	133	54	0.01%	0.001%
19	5.391	1257	1260	1263	rVB	202	121	0.02%	0.003%
20	5.414	1264	1267	1268	rBV	177	89	0.02%	0.002%
21	5.613	1327	1329	1334	rBV	199	143	0.03%	0.003%
22	5.719	1341	1362	1380	rBV2	203356	556691	100.00%	13.094%
23	5.919	1421	1424	1426	rBV	183	93	0.02%	0.002%
24	5.993	1444	1447	1451	rBV	202	205	0.04%	0.005%
25	6.022	1453	1456	1460	rVV	203	145	0.03%	0.003%
26	6.047	1461	1464	1467	rVB2	199	157	0.03%	0.004%
27	6.102	1479	1481	1483	rBV	136	70	0.01%	0.002%
28	6.243	1511	1525	1545	rBV	182050	342820	61.58%	8.064%
29	6.501	1603	1605	1607	rVB	184	75	0.01%	0.002%
30	6.633	1644	1646	1648	rBV	154	55	0.01%	0.001%
31	6.684	1649	1662	1680	rVV	135405	259547	46.62%	6.105%
32	6.809	1697	1701	1706	rVB2	228	205	0.04%	0.005%
33	6.867	1716	1719	1721	rBV	178	75	0.01%	0.002%
34	6.925	1733	1737	1740	rBV	237	233	0.04%	0.005%
35	6.964	1747	1749	1752	rVB	222	110	0.02%	0.003%
36	7.038	1770	1772	1774	rVB	163	44	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031623\
 Data File : VU053251.D
 Acq On : 17 Mar 2023 01:20
 Operator : JC/MD
 Sample : 01930-22 200X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EYFG1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031523WMA.M
 Title : VOC Analysis

37	7.179	1810	1816	1817	rBV3	665	635	0.11%	0.015%
38	7.237	1832	1834	1837	rBV2	151	88	0.02%	0.002%
39	7.327	1859	1862	1866	rBV	244	146	0.03%	0.003%
40	7.343	1866	1867	1868	rBV	138	39	0.01%	0.001%
41	7.452	1898	1901	1903	rBV	156	66	0.01%	0.002%
42	7.520	1919	1922	1923	rBV	202	101	0.02%	0.002%
43	7.562	1923	1935	1950	rVV	71581	126113	22.65%	2.966%
44	7.665	1966	1967	1968	rBV	105	23	0.00%	0.001%
45	7.690	1968	1975	1979	rBV3	461	569	0.10%	0.013%
46	7.800	2007	2009	2015	rVB2	356	320	0.06%	0.008%
47	7.893	2025	2038	2062	rBV	257304	436958	78.49%	10.278%
48	8.108	2103	2105	2106	rBV	138	41	0.01%	0.001%
49	8.176	2115	2126	2140	rBV	50768	83179	14.94%	1.957%
50	8.411	2196	2199	2202	rBV2	152	93	0.02%	0.002%
51	8.462	2212	2215	2217	rBV	266	180	0.03%	0.004%
52	8.478	2218	2220	2223	rVB	232	112	0.02%	0.003%
53	8.626	2256	2266	2297	rBV2	130278	240640	43.23%	5.660%
54	8.829	2327	2329	2334	rVB	152	63	0.01%	0.001%
55	8.980	2374	2376	2378	rBV	126	46	0.01%	0.001%
56	9.057	2398	2400	2401	rBV	241	121	0.02%	0.003%
57	9.182	2437	2439	2442	rVB2	182	106	0.02%	0.002%
58	9.221	2449	2451	2453	rBV	181	127	0.02%	0.003%
59	9.414	2498	2511	2531	rBV	259597	424042	76.17%	9.974%
60	9.571	2558	2560	2562	rVB2	259	118	0.02%	0.003%
61	9.597	2563	2568	2572	rBV	209	291	0.05%	0.007%
62	9.758	2613	2618	2623	rVB	312	309	0.06%	0.007%
63	9.800	2628	2631	2633	rBV	215	103	0.02%	0.002%
64	9.874	2652	2654	2657	rVB2	168	89	0.02%	0.002%
65	9.922	2666	2669	2671	rBV	152	96	0.02%	0.002%
66	10.198	2752	2755	2757	rBV	216	184	0.03%	0.004%
67	10.240	2766	2768	2771	rBV	254	165	0.03%	0.004%
68	10.266	2774	2776	2780	rVB2	430	295	0.05%	0.007%
69	10.295	2781	2785	2786	rBV	172	123	0.02%	0.003%
70	10.343	2798	2800	2802	rBV	172	61	0.01%	0.001%
71	10.751	2914	2927	2951	rVB	170849	272115	48.88%	6.401%
72	10.964	2991	2993	2994	rBV	156	45	0.01%	0.001%
73	11.073	3025	3027	3028	rBV	125	52	0.01%	0.001%
74	11.472	3147	3151	3153	rBV	242	198	0.04%	0.005%
75	11.738	3231	3234	3238	rBV	233	154	0.03%	0.004%
76	11.758	3238	3240	3244	rBV	180	116	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031623\
 Data File : VU053251.D
 Acq On : 17 Mar 2023 01:20
 Operator : JC/MD
 Sample : 01930-22 200X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EYFG1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031523WMA.M
 Title : VOC Analysis

77	11.806	3244	3255	3276	rBV	272748	429263	77.11%	10.097%
78	12.115	3348	3351	3354	rBV2	215	150	0.03%	0.004%
79	12.189	3362	3374	3388	rBV	232614	374026	67.19%	8.798%
80	12.333	3416	3419	3423	rBV	246	183	0.03%	0.004%
81	12.439	3448	3452	3455	rBV2	226	213	0.04%	0.005%
82	12.513	3473	3475	3478	rVB2	182	94	0.02%	0.002%
83	12.693	3528	3531	3534	rVB	228	143	0.03%	0.003%
84	12.992	3622	3624	3626	rVB	197	96	0.02%	0.002%
85	13.166	3676	3678	3680	rVB	209	84	0.02%	0.002%
86	14.005	3937	3939	3940	rBV	193	68	0.01%	0.002%
87	14.330	4037	4040	4041	rBV	286	133	0.02%	0.003%
88	14.873	4206	4209	4211	rBV	213	120	0.02%	0.003%
89	15.002	4247	4249	4253	rVB	250	132	0.02%	0.003%

Sum of corrected areas: 4251387

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031623\
Data File : VU053251.D
Acq On : 17 Mar 2023 01:20
Operator : JC/MD
Sample : 01930-22 200X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EYFG1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031523WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031623\
Data File : VU053251.D
Acq On : 17 Mar 2023 01:20
Operator : JC/MD
Sample : 01930-22 200X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EYFG1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031523WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------