

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031719\
 Data File : VU030144.D
 Acq On : 16 Mar 2019 14:50
 Operator : JC/SP
 Sample : K1949-17 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF1B8

Quant Time: Mar 18 05:22:58 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 18 04:23:56 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	470336	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	458653	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	217887	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	145232	46.68	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	93.36%
7) Chloroethane-d5	1.68	69	126830	50.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	101.00%
11) 1,1-Dichloroethene-d2	2.27	63	206890	36.84	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.68%
21) 2-Butanone-d5	4.17	46	266631	114.39	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	114.39%
24) Chloroform-d	4.65	84	287982	51.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.20%
26) 1,2-Dichloroethane-d4	5.31	65	172830	53.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	107.22%
32) Benzene-d6	5.34	84	599727	50.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.60%
36) 1,2-Dichloropropane-d6	6.33	67	189310	52.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.78%
41) Toluene-d8	7.56	98	529927	47.93	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.86%
43) trans-1,3-Dichloropropene-	7.85	79	85383	48.78	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.56%
47) 2-Hexanone-d5	8.31	63	220916	109.27	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	109.27%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	296969	53.48	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	106.96%
64) 1,2-Dichlorobenzene-d4	11.86	152	222132	52.63	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.26%

Target Compounds					Ovalue
46) Tetrachloroethene	8.22	164	6459	2.146 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU031719\
Data File : VU030144.D
Acq On : 16 Mar 2019 14:50
Operator : JC/SP
Sample : K1949-17 50X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF1B8

Quant Time: Mar 18 05:22:58 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Mar 18 04:23:56 2019
Response via : Initial Calibration

