

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031719\
 Data File : VU030146.D
 Acq On : 16 Mar 2019 15:36
 Operator : JC/SP
 Sample : VIBLK40
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK40

Quant Time: Mar 18 05:28:29 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 18 04:23:56 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	513205	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	498509	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	237667	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	151557	44.65	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.30%
7) Chloroethane-d5	1.68	69	127963	46.70	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.40%
11) 1,1-Dichloroethene-d2	2.27	63	209716	34.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.46%
21) 2-Butanone-d5	4.17	46	262370	103.16	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.16%
24) Chloroform-d	4.65	84	287922	47.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.56%
26) 1,2-Dichloroethane-d4	5.31	65	174644	49.65	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.30%
32) Benzene-d6	5.34	84	607198	47.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.64%
36) 1,2-Dichloropropane-d6	6.33	67	194842	49.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.22%
41) Toluene-d8	7.56	98	544183	45.29	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.58%
43) trans-1,3-Dichloropropene-	7.85	79	85009	44.68	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.36%
47) 2-Hexanone-d5	8.31	63	218010	99.21	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.21%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	300345	49.77	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.54%
64) 1,2-Dichlorobenzene-d4	11.86	152	226717	49.24	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.48%

Target Compounds					Ovalue
46) Tetrachloroethene	8.22	164	7002	2.140 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031719\
Data File : VU030146.D
Acq On : 16 Mar 2019 15:36
Operator : JC/SP
Sample : VIBLK40
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK40

Quant Time: Mar 18 05:28:29 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Mar 18 04:23:56 2019
Response via : Initial Calibration

