

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031719\
 Data File : VU030153.D
 Acq On : 16 Mar 2019 18:26
 Operator : JC/SP
 Sample : K1936-14
 Misc : 4.98g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF0X2

Manual Integrations
 APPROVED

MMDadoda
 3/18/2019 9:36:22 AM

Quant Time: Mar 18 06:47:57 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 18 04:23:56 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	570404	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	577424	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	306284	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	133129	35.29	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	70.58%
7) Chloroethane-d5	1.64	69	65350m	21.46	ug/L	-0.04
Spiked Amount	50.000	Range	70 - 130	Recovery	=	42.92%#
11) 1,1-Dichloroethene-d2	2.23	63	188636	27.70	ug/L	-0.04
Spiked Amount	50.000	Range	60 - 125	Recovery	=	55.40%#
21) 2-Butanone-d5	4.19	46	267115	94.49	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.49%
24) Chloroform-d	4.64	84	270493	39.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	79.94%
26) 1,2-Dichloroethane-d4	5.30	65	164895	42.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.34%
32) Benzene-d6	5.33	84	573572	38.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	77.18%
36) 1,2-Dichloropropane-d6	6.32	67	184932	40.65	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	81.30%
41) Toluene-d8	7.56	98	514300	36.95	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	73.90%#
43) trans-1,3-Dichloropropene-	7.85	79	83210	37.76	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	75.52%
47) 2-Hexanone-d5	8.32	63	242073	95.10	ug/L	0.01
Spiked Amount	100.000	Range	45 - 130	Recovery	=	95.10%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	332964	47.63	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.26%
64) 1,2-Dichlorobenzene-d4	11.86	152	252483	42.55	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.10%

Target Compounds					Ovalue
20) cis-1,2-Dichloroethene	4.21	96	5236	1.181 ug/L	94
34) Trichloroethene	6.18	95	13477	3.112 ug/L	92
46) Tetrachloroethene	8.22	164	170345	44.948 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU031719\
Data File : VU030153.D
Acq On : 16 Mar 2019 18:26
Operator : JC/SP
Sample : K1936-14
Misc : 4.98g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF0X2

Manual Integrations
APPROVED

MMDadoda
3/18/2019 9:36:22 AM

Quant Time: Mar 18 06:47:57 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Mar 18 04:23:56 2019
Response via : Initial Calibration

