

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031720\
 Data File : VU037328.D
 Acq On : 17 Mar 2020 19:31
 Operator : JC/MD
 Sample : L1494-09
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 CONJ2

Quant Time: Mar 18 04:39:40 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031220WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 18 02:36:04 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	427371	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	416011	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	170942	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	120175	36.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	72.66%
7) Chloroethane-d5	1.93	69	108963	40.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	81.72%
11) 1,1-Dichloroethene-d2	2.59	63	174090	28.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	57.38%#
21) 2-Butanone-d5	4.67	46	255137	97.47	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.47%
24) Chloroform-d	5.11	84	286561	45.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.12%
26) 1,2-Dichloroethane-d4	5.74	65	208831	44.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.72%
32) Benzene-d6	5.76	84	519413	45.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.72%
36) 1,2-Dichloropropane-d6	6.72	67	173082	46.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.34%
41) Toluene-d8	7.92	98	482619	44.09	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.18%
43) trans-1,3-Dichloropropene-	8.20	79	87657	42.96	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.92%
47) 2-Hexanone-d5	8.66	63	183098	94.34	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.34%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	263835	45.44	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.88%
64) 1,2-Dichlorobenzene-d4	12.21	152	182898	51.58	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.16%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU031720\
Data File : VU037328.D
Acq On : 17 Mar 2020 19:31
Operator : JC/MD
Sample : L1494-09
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
CONJ2

Quant Time: Mar 18 04:39:40 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031220WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 18 02:36:04 2020
Response via : Initial Calibration

