

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031919\
 Data File : VU030195.D
 Acq On : 19 Mar 2019 15:37
 Operator : JC/SP
 Sample : K1918-15
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0991

Quant Time: Mar 20 03:55:48 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031919WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 20 02:58:59 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	530780	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	518864	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	242516	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	194605	54.22	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	108.44%
7) Chloroethane-d5	1.68	69	152595	53.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	106.34%
11) 1,1-Dichloroethene-d2	2.27	63	257448	39.32	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.64%
21) 2-Butanone-d5	4.17	46	269569	101.24	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.24%
24) Chloroform-d	4.65	84	328276	49.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.68%
26) 1,2-Dichloroethane-d4	5.31	65	197617	52.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.20%
32) Benzene-d6	5.34	84	716564	52.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.82%
36) 1,2-Dichloropropane-d6	6.33	67	222889	52.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.36%
41) Toluene-d8	7.56	98	659146	51.27	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.54%
43) trans-1,3-Dichloropropene-	7.85	79	102402	49.71	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	99.42%
47) 2-Hexanone-d5	8.31	63	226605	103.29	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	103.29%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	320187	49.34	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.68%
64) 1,2-Dichlorobenzene-d4	11.86	152	257630	52.91	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.82%


Target Compounds					Ovalue
13) Acetone	2.32	43	14467	5.200 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU031919\
Data File : VU030195.D
Acq On : 19 Mar 2019 15:37
Operator : JC/SP
Sample : K1918-15
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0991

Quant Time: Mar 20 03:55:48 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031919WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 20 02:58:59 2019
Response via : Initial Calibration





#13

Acetone

Concen: 5.200 ug/L

RT: 2.32 min Scan# 383

Delta R.T. -0.00 min

Lab File: VU030195.D

Acq: 19 Mar 2019 15:37

Instrument :
MSVOA_U
ClientSampleId :
C0991

Tot Ion: 43 Resp: 14467

Ion Ratio Lower Upper

43 100

58 35.5 0.0 73.4

