

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031919\
 Data File : VU030197.D
 Acq On : 19 Mar 2019 16:23
 Operator : JC/SP
 Sample : K1986-21
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Mar 20 04:02:12 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031919WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 20 02:58:59 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	536359	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	514737	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	241050	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	173125	47.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	95.46%
7) Chloroethane-d5	1.68	69	143187	49.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.74%
11) 1,1-Dichloroethene-d2	2.27	63	240124	36.29	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.58%
21) 2-Butanone-d5	4.17	46	268083	99.64	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	99.64%
24) Chloroform-d	4.65	84	315757	47.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.88%
26) 1,2-Dichloroethane-d4	5.31	65	187892	49.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.98%
32) Benzene-d6	5.34	84	684320	50.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.90%
36) 1,2-Dichloropropane-d6	6.33	67	214069	51.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.00%
41) Toluene-d8	7.56	98	632531	49.60	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.20%
43) trans-1,3-Dichloropropene-	7.85	79	99289	48.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.16%
47) 2-Hexanone-d5	8.31	63	222802	102.37	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	102.37%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	314098	48.79	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.58%
64) 1,2-Dichlorobenzene-d4	11.86	152	249303	51.51	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.02%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU031919\
Data File : VU030197.D
Acq On : 19 Mar 2019 16:23
Operator : JC/SP
Sample : K1986-21
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Mar 20 04:02:12 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031919WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 20 02:58:59 2019
Response via : Initial Calibration

