

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031920\
 Data File : VU037336.D
 Acq On : 19 Mar 2020 12:53
 Operator : JC/MD
 Sample : L1983-05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AA9

Quant Time: Mar 20 02:08:08 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR031620WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Mar 20 01:58:25 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	161874	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	160370	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	66934	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	31675	3.75	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	75.00%
7) Chloroethane-d5	1.93	69	30225	4.01	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	80.20%
11) 1,1-Dichloroethene-d2	2.59	63	46892	2.53	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	50.60%#
20) 2-Butanone-d5	4.68	46	108428	42.55	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	85.10%
24) Chloroform-d	5.11	84	76266	3.92	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.40%
26) 1,2-Dichloroethane-d4	5.74	65	45612	4.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.20%
32) Benzene-d6	5.76	84	135319	3.98	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	79.60%
36) 1,2-Dichloropropane-d6	6.73	67	44553	4.00	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	80.00%
41) Toluene-d8	7.92	98	121809	3.68	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	73.60%
43) trans-1,3-Dichloropropene-	8.21	79	19716	3.97	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.40%
46) 2-Hexanone-d5	8.67	63	87011	39.32	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	78.64%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	38696	4.04	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	80.80%
64) 1,2-Dichlorobenzene-d4	12.21	152	47248	4.32	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	86.40%


Target Compounds					Ovalue
13) Acetone	2.66	43	8072	3.745 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031920\
Data File : VU037336.D
Acq On : 19 Mar 2020 12:53
Operator : JC/MD
Sample : L1983-05
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AA9

Quant Time: Mar 20 02:08:08 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR031620WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Mar 20 01:58:25 2020
Response via : Initial Calibration





#13

Acetone

Concen: 3.745 ug/L

RT: 2.66 min Scan# 412

Delta R.T. -0.01 min

Lab File: VU037336.D

Acq: 19 Mar 2020 12:53

Instrument :
MSVOA_U
ClientSampleId :
C0AA9

Tot Ion: 43 Resp: 8072

Ion Ratio Lower Upper

43 100

58 26.5 0.0 58.0

