

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031920\
 Data File : VU037344.D
 Acq On : 19 Mar 2020 18:17
 Operator : JC/MD
 Sample : L1983-06
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Mar 20 04:11:10 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR031620WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Mar 20 01:58:25 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	136120	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	137776	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	62295	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	29917	4.22	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	84.40%
7) Chloroethane-d5	1.93	69	30066	4.74	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	94.80%
11) 1,1-Dichloroethene-d2	2.59	63	46707	2.99	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	59.80%#
20) 2-Butanone-d5	4.67	46	110008	51.34	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	102.68%
24) Chloroform-d	5.11	84	76163	4.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.00%
26) 1,2-Dichloroethane-d4	5.74	65	47354	4.95	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.00%
32) Benzene-d6	5.76	84	135039	4.63	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.60%
36) 1,2-Dichloropropane-d6	6.73	67	45389	4.74	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.80%
41) Toluene-d8	7.92	98	121577	4.28	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.60%
43) trans-1,3-Dichloropropene-	8.20	79	18460	4.33	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.60%
46) 2-Hexanone-d5	8.66	63	90085	47.38	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	94.76%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	40763	4.96	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.20%
64) 1,2-Dichlorobenzene-d4	12.21	152	49566	4.87	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.40%


Target Compounds					Ovalue
25) Chloroform	5.12	83	4810	0.233 ug/L	98




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU031920\
Data File : VU037344.D
Acq On : 19 Mar 2020 18:17
Operator : JC/MD
Sample : L1983-06
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Mar 20 04:11:10 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR031620WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Mar 20 01:58:25 2020
Response via : Initial Calibration





#25

Chloroform

Concen: 0.233 ug/L

RT: 5.12 min Scan# 1177

Delta R.T. -0.01 min

Lab File: VU037344.D

Acq: 19 Mar 2020 18:17

Instrument :

MSVOA_U

ClientSampleId :

VHBLK01

Tot Ion: 83 Resp: 4810

Ion Ratio Lower Upper

83 100

85 62.4 44.7 82.9

