

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU032019\
 Data File : VU030228.D
 Acq On : 20 Mar 2019 17:29
 Operator : JC/SP
 Sample : K2017-06 40X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF1D5

Quant Time: Mar 22 01:54:40 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031919WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 22 01:27:23 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	515829	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	506709	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	235162	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	171352	49.13	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	98.26%
7) Chloroethane-d5	1.68	69	140740	50.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.92%
11) 1,1-Dichloroethene-d2	2.27	63	232748	36.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.16%
21) 2-Butanone-d5	4.17	46	267757	103.48	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.48%
24) Chloroform-d	4.65	84	310888	48.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.14%
26) 1,2-Dichloroethane-d4	5.31	65	183597	50.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.58%
32) Benzene-d6	5.34	84	662676	49.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.26%
36) 1,2-Dichloropropane-d6	6.33	67	207826	50.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.60%
41) Toluene-d8	7.56	98	600159	47.80	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.60%
43) trans-1,3-Dichloropropene-	7.85	79	93031	46.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.48%
47) 2-Hexanone-d5	8.31	63	220775	103.04	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	103.04%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	306602	48.38	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.76%
64) 1,2-Dichlorobenzene-d4	11.86	152	238985	50.62	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.24%


Target Compounds					Ovalue
46) Tetrachloroethene	8.22	164	44521	13.675 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU032019\
Data File : VU030228.D
Acq On : 20 Mar 2019 17:29
Operator : JC/SP
Sample : K2017-06 40X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF1D5

Quant Time: Mar 22 01:54:40 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031919WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 22 01:27:23 2019
Response via : Initial Calibration






#46
Tetrachloroethene
Concen: 13.675 ug/L
RT: 8.22 min Scan# 2219
Delta R.T. -0.00 min
Lab File: VU030228.D
Acq: 20 Mar 2019 17:29

Instrument :
MSVOA_U
ClientSampleId :
BF1D5

Tot Ion:	164	Resp:	44521
Ion	Ratio	Lower	Upper
164	100		
129	87.9	64.4	119.6
131	87.6	63.2	117.4
166	123.6	89.5	166.1



Abundance

Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V

