


Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU032119\
Quantitation Report (QT Reviewed)
Data File : VU030283.D
Acq On : 21 Mar 2019 22:01
Operator : JC/SP
Sample : K2017-15
Misc : 5.66g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF0E1

Manual Integrations
APPROVED

MMDadoda
3/22/2019 1:06:12 PM

Quant Time: Mar 22 06:33:46 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031919WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 22 05:14:44 2019
Response via : Initial Calibration



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU032119\
Quantitation Report (Qedit)




Data File : VU030283.D
Acq On : 21 Mar 2019 22:01
Operator : JC/SP
Sample : K2017-15
Misc : 5.66g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF0E1

Manual Integrations
APPROVED

MMDadoda
3/22/2019 1:06:12 PM

Quant Time: Mar 22 05:20:14 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031919WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 22 05:14:44 2019
Response via : Initial Calibration



TIC: VU030283.D

(7) Chloroethane-d5 (S)

1.766min (+0.087) 0.06ug/L

response 183

Ion	Exp%	Act%
69.00	100	100
71.00	31.60	39.89
51.00	24.00	21.86
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU032119\
Quantitation Report (Qedit)




Data File : VU030283.D
Acq On : 21 Mar 2019 22:01
Operator : JC/SP
Sample : K2017-15
Misc : 5.66g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF0E1

Manual Integrations
APPROVED

MMDadoda
3/22/2019 1:06:12 PM

Quant Time: Mar 22 05:20:14 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031919WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 22 05:14:44 2019
Response via : Initial Calibration



TIC: VU030283.D

(7) Chloroethane-d5 (S)

1.640min (-0.038) 25.09ug/L m

response 75051

Ion	Exp%	Act%
69.00	100	100
71.00	31.60	0.10#
51.00	24.00	0.05#
0.00	0.00	0.00

7 MLO
3/27/19

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU032119\
Quantitation Report (Qedit)




Data File : VU030283.D
Acq On : 21 Mar 2019 22:01
Operator : JC/SP
Sample : K2017-15
Misc : 5.66g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF0E1

Manual Integrations
APPROVED

MMDadoda
3/22/2019 1:06:12 PM

Quant Time: Mar 22 05:20:14 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031919WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 22 05:14:44 2019
Response via : Initial Calibration



TIC: VU030283.D

(11) 1,1-Dichloroethene-d2 (S)

2.309min (+0.036) 0.01ug/L

response 45

Ion	Exp%	Act%
63.00	100	100
98.00	83.00	148.89#
65.00	23.80	44.44#
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU032119\
Quantitation Report (Qedit)




Data File : VU030283.D
Acq On : 21 Mar 2019 22:01
Operator : JC/SP
Sample : K2017-15
Misc : 5.66g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF0E1

Manual Integrations
APPROVED

MMDadoda
3/22/2019 1:06:12 PM

Quant Time: Mar 22 05:20:14 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031919WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 22 05:14:44 2019
Response via : Initial Calibration



(11) 1,1-Dichloroethene-d2 (S)

2.229min (-0.045) 31.95ug/L m

response 218051

Ion	Exp%	Act%
63.00	100	100
98.00	83.00	0.03#
65.00	23.80	0.01#
0.00	0.00	0.00

7mQ
3/27/19

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU032119\
Quantitation Report (QT Reviewed)

Data File : VU030283.D
Acq On : 21 Mar 2019 22:01
Operator : JC/SP
Sample : K2017-15
Misc : 5.66g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF0E1

Manual Integrations
APPROVED

MMDadoda
3/22/2019 1:06:12 PM

Quant Time: Mar 22 06:33:46 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031919WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 22 05:14:44 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	553296	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	552530	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	280315	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	163615	43.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.46%
7) Chloroethane-d5	1.64	69	75051m	25.09	ug/L	-0.04
Spiked Amount	50.000	Range	70 - 130	Recovery	=	50.18%#
11) 1,1-Dichloroethene-d2	2.23	63	218051m	31.95	ug/L	-0.04
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.90%
21) 2-Butanone-d5	4.19	46	259991	93.67	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.67%
24) Chloroform-d	4.64	84	294656	42.91	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.82%
26) 1,2-Dichloroethane-d4	5.30	65	176815	45.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.30%
32) Benzene-d6	5.33	84	642000	44.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.18%
36) 1,2-Dichloropropane-d6	6.32	67	203461	45.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.32%
41) Toluene-d8	7.56	98	576569	42.12	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	84.24%
43) trans-1,3-Dichloropropene-	7.85	79	90457	41.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.46%
47) 2-Hexanone-d5	8.32	63	232841	99.66	ug/L	0.01
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.66%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	338515	48.99	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.98%
64) 1,2-Dichlorobenzene-d4	11.86	152	256683	45.61	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.22%

MO
3/27/19

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed