

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU032119\
 Data File : VU030271.D
 Acq On : 21 Mar 2019 17:26
 Operator : JC/SP
 Sample : K2048-11
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF1F6

Quant Time: Mar 22 05:32:18 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031919WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 22 05:14:44 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	538433	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	521149	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	241763	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	174271	47.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	95.74%
7) Chloroethane-d5	1.68	69	141392	48.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.14%
11) 1,1-Dichloroethene-d2	2.27	63	233975	35.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.46%
21) 2-Butanone-d5	4.17	46	253479	93.85	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.85%
24) Chloroform-d	4.65	84	310440	46.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.92%
26) 1,2-Dichloroethane-d4	5.31	65	185938	48.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.58%
32) Benzene-d6	5.34	84	673710	49.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.12%
36) 1,2-Dichloropropane-d6	6.33	67	213855	50.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.66%
41) Toluene-d8	7.56	98	602906	46.69	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.38%
43) trans-1,3-Dichloropropene-	7.85	79	96558	46.67	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.34%
47) 2-Hexanone-d5	8.31	63	204332	92.73	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	92.73%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	307194	47.13	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.26%
64) 1,2-Dichlorobenzene-d4	11.86	152	240128	49.47	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.94%


Target Compounds				Ovalue
13) Acetone	2.32	43	6667	2.362 ug/L 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU032119\
Data File : VU030271.D
Acq On : 21 Mar 2019 17:26
Operator : JC/SP
Sample : K2048-11
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF1F6

Quant Time: Mar 22 05:32:18 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031919WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 22 05:14:44 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.362 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU030271.D

Acq: 21 Mar 2019 17:26

Instrument :

MSVOA_U

ClientSampleId :

BF1F6

Tot Ion: 43 Resp: 6667

Ion Ratio Lower Upper

43 100

58 37.4 0.0 73.4

