

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032123\
 Data File : VU053322.D
 Acq On : 21 Mar 2023 14:27
 Operator : JC/MD
 Sample : 01980-07
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EYGD1

Quant Time: Mar 22 03:10:58 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031523WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 22 03:08:43 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.243	114	115464	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.414	117	108625	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.806	152	48170	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	46448	43.604	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	87.200%	
7) Chloroethane-d5	1.912	69	43255	50.201	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	100.400%	
11) 1,1-Dichloroethene-d2	2.565	63	58243	31.563	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	63.120%	
21) 2-Butanone-d5	4.620	46	53339	107.962	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	107.960%	
24) Chloroform-d	5.057	84	74484	42.454	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	84.900%	
26) 1,2-Dichloroethane-d4	5.697	65	51474	47.241	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	94.480%	
32) Benzene-d6	5.723	84	157624	44.738	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	89.480%	
36) 1,2-Dichloropropane-d6	6.684	67	52884	46.507	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	93.020%	
41) Toluene-d8	7.893	98	144611	44.085	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	88.160%	
43) trans-1,3-Dichloroprop...	8.176	79	23988	42.756	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	85.520%	
47) 2-Hexanone-d5	8.629	63	34509	97.070	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	97.070%	
56) 1,1,2,2-Tetrachloroeth...	10.751	84	68736	46.662	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	93.320%	
66) 1,2-Dichlorobenzene-d4	12.189	152	45205	48.466	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	96.940%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032123\
Data File : VU053322.D
Acq On : 21 Mar 2023 14:27
Operator : JC/MD
Sample : 01980-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EYGD1

Quant Time: Mar 22 03:10:58 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031523WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 22 03:08:43 2023
Response via : Initial Calibration

