

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU032219\
 Data File : VU030314.D
 Acq On : 22 Mar 2019 17:34
 Operator : JC/SP
 Sample : K2062-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF1H0

Quant Time: Mar 23 05:06:37 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031919WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 23 04:35:39 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	515984	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	500448	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	224594	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	128502	36.83	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	73.66%
7) Chloroethane-d5	1.68	69	118648	42.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.06%
11) 1,1-Dichloroethene-d2	2.27	63	186040	29.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	58.46%#
21) 2-Butanone-d5	4.17	46	253398	97.90	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.90%
24) Chloroform-d	4.65	84	280428	43.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.60%
26) 1,2-Dichloroethane-d4	5.31	65	164267	44.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.96%
32) Benzene-d6	5.34	84	577295	43.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.56%
36) 1,2-Dichloropropane-d6	6.33	67	189966	46.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.10%
41) Toluene-d8	7.56	98	508454	41.00	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	82.00%
43) trans-1,3-Dichloropropene-	7.85	79	81754	41.14	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.28%
47) 2-Hexanone-d5	8.31	63	200712	94.85	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.85%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	293334	46.87	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.74%
64) 1,2-Dichlorobenzene-d4	11.86	152	215967	47.90	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.80%


Target Compounds					Ovalue
13) Acetone	2.32	43	6208	2.295 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU032219\
Data File : VU030314.D
Acq On : 22 Mar 2019 17:34
Operator : JC/SP
Sample : K2062-10
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF1H0

Quant Time: Mar 23 05:06:37 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031919WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 23 04:35:39 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.295 ug/L

RT: 2.32 min Scan# 384

Delta R.T. 0.00 min

Lab File: VU030314.D

Acq: 22 Mar 2019 17:34

Instrument :
MSVOA_U
ClientSampleId :
BF1H0

Tot Ion: 43 Resp: 6208

Ion Ratio Lower Upper

43 100

58 35.4 0.0 73.4

