

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032221\
 Data File : VU042753.D
 Acq On : 22 Mar 2021 11:27
 Operator : SY/MD
 Sample : M1743-01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETZD2

Quant Time: Mar 23 07:16:56 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR030221WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Mar 23 07:16:03 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.259	114	75093	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.427	117	75768	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.822	152	35277	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	24348	4.86	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	97.20%
7) Chloroethane-d5	1.919	69	21771	5.74	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	114.80%
11) 1,1-Dichloroethene-d2	2.575	63	41469	3.67	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	73.40%
20) 2-Butanone-d5	4.652	46	91333	55.57	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	111.14%
24) Chloroform-d	5.073	84	50802	5.13	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.60%
26) 1,2-Dichloroethane-d4	5.713	65	32248	5.29	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.80%
32) Benzene-d6	5.739	84	91847	4.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.80%
36) 1,2-Dichloropropane-d6	6.700	67	30233	5.05	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.00%
41) Toluene-d8	7.906	98	83594	4.61	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.20%
43) trans-1,3-Dichloroprop...	8.189	79	12213	4.36	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.20%
46) 2-Hexanone-d5	8.648	63	62664	46.75	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.50%
57) 1,1,2,2-Tetrachloroeth...	10.767	84	25715	4.82	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.40%
64) 1,2-Dichlorobenzene-d4	12.201	152	33760	5.28	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	105.60%
Target Compounds						Qvalue
47) Tetrachloroethene	8.562	164	3826	0.71	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032221\
Data File : VU042753.D
Acq On : 22 Mar 2021 11:27
Operator : SY/MD
Sample : M1743-01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETZD2

Quant Time: Mar 23 07:16:56 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR030221WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Mar 23 07:16:03 2021
Response via : Initial Calibration

