

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032221\
 Data File : VU042757.D
 Acq On : 22 Mar 2021 13:03
 Operator : SY/MD
 Sample : M1743-05
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETZD6

Quant Time: Mar 23 07:18:19 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR030221WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Mar 23 07:16:03 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.259	114	77145	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.426	117	76488	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.822	152	35018	5.00	ug/L	0.00

System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	23379	4.55	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.00%
7) Chloroethane-d5	1.919	69	19533	5.02	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	100.40%
11) 1,1-Dichloroethene-d2	2.575	63	39698	3.42	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	68.40%
20) 2-Butanone-d5	4.649	46	68066	40.31	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	80.62%
24) Chloroform-d	5.073	84	47891	4.71	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.20%
26) 1,2-Dichloroethane-d4	5.713	65	29823	4.77	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.40%
32) Benzene-d6	5.735	84	88337	4.71	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.20%
36) 1,2-Dichloropropane-d6	6.700	67	28304	4.68	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.60%
41) Toluene-d8	7.906	98	79033	4.32	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.40%
43) trans-1,3-Dichloroprop...	8.189	79	11353	4.02	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.40%
46) 2-Hexanone-d5	8.645	63	57917	42.80	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.60%
57) 1,1,2,2-Tetrachloroeth...	10.764	84	23626	4.38	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	87.60%
64) 1,2-Dichlorobenzene-d4	12.201	152	31963	5.03	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.60%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032221\
Data File : VU042757.D
Acq On : 22 Mar 2021 13:03
Operator : SY/MD
Sample : M1743-05
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETZD6

Quant Time: Mar 23 07:18:19 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR030221WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Mar 23 07:16:03 2021
Response via : Initial Calibration

