

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU032319\
 Data File : VU030353.D
 Acq On : 23 Mar 2019 20:21
 Operator : JC/SP
 Sample : K2063-03
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB6R5

Manual Integrations
 APPROVED

MMDadoda
 3/24/2019 12:36:32 PM

Quant Time: Mar 24 12:29:55 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sun Mar 24 02:05:17 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	449347	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	441815	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	235930	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	146075	40.39	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	80.78%
7) Chloroethane-d5	1.68	69	124642	43.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.96%
11) 1,1-Dichloroethene-d2	2.27	63	213413	31.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.22%
21) 2-Butanone-d5	4.17	46	294375	86.59	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.59%
24) Chloroform-d	4.65	84	261930	42.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.08%
26) 1,2-Dichloroethane-d4	5.31	65	180325	44.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.46%
32) Benzene-d6	5.34	84	560392	44.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.46%
36) 1,2-Dichloropropane-d6	6.33	67	194279	44.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.64%
41) Toluene-d8	7.57	98	535714	47.08	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.16%
43) trans-1,3-Dichloropropene-	7.85	79	94156	46.19	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.38%
47) 2-Hexanone-d5	8.31	63	226431	96.39	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.39%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	283308	45.67	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.34%
64) 1,2-Dichlorobenzene-d4	11.86	152	212932	45.04	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.08%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
6) Bromomethane	1.63	94	12345	5.118	ug/L	99
22) 2-Butanone	4.27	43	39930	9.609	ug/L	91
29) Cyclohexane	4.99	56	1922126	287.484	ug/L	97
33) Benzene	5.38	78	29233686m	1943.750	ug/L	
35) Methylcyclohexane	6.41	83	1169346	192.197	ug/L	92
42) Toluene	7.63	91	41730400m	2673.520	ug/L	
48) 2-Hexanone	8.36	43	135198	23.009	ug/L #	85
50) 1,2-Dibromoethane	8.58	107	716454	185.114	ug/L	100
52) Ethylbenzene	9.24	91	20823525m	1231.534	ug/L	
53) m,p-Xylene	9.38	106	25523324m	4180.556	ug/L	
54) o-xylene	9.78	106	16858052m	2829.902	ug/L	
56) Isopropylbenzene	10.16	105	1468116	93.074	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU032319\
Data File : VU030353.D
Acq On : 23 Mar 2019 20:21
Operator : JC/SP
Sample : K2063-03
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB6R5

Manual Integrations
APPROVED

MMDadoda
3/24/2019 12:36:32 PM

Quant Time: Mar 24 12:29:55 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
Quant Title : VOC Analysis
QLast Update : Sun Mar 24 02:05:17 2019
Response via : Initial Calibration

