

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU032319\
 Data File : VU030350.D
 Acq On : 23 Mar 2019 19:13
 Operator : JC/SP
 Sample : K2083-05 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF1A3

Quant Time: Mar 24 02:50:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sun Mar 24 02:05:17 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	428238	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	410138	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	176851	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	151478	43.95	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.90%
7) Chloroethane-d5	1.68	69	123060	45.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.10%
11) 1,1-Dichloroethene-d2	2.27	63	217940	33.34	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.68%
21) 2-Butanone-d5	4.17	46	289705	89.42	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	89.42%
24) Chloroform-d	4.65	84	271430	45.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.42%
26) 1,2-Dichloroethane-d4	5.31	65	183287	47.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.34%
32) Benzene-d6	5.34	84	555517	47.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.46%
36) 1,2-Dichloropropane-d6	6.33	67	198199	49.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.50%
41) Toluene-d8	7.56	98	492374	46.61	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.22%
43) trans-1,3-Dichloropropene-	7.85	79	86143	45.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.04%
47) 2-Hexanone-d5	8.31	63	198411	90.99	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.99%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	265022	46.02	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.04%
64) 1,2-Dichlorobenzene-d4	11.86	152	168448	47.54	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.08%


Target Compounds					Ovalue
20) cis-1,2-Dichloroethene	4.22	96	8732	2.422 ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU032319\
Data File : VU030350.D
Acq On : 23 Mar 2019 19:13
Operator : JC/SP
Sample : K2083-05 50X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF1A3

Quant Time: Mar 24 02:50:06 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
Quant Title : VOC Analysis
QLast Update : Sun Mar 24 02:05:17 2019
Response via : Initial Calibration





#20
 cis-1,2-Dichloroethene
 Concen: 2.422 ug/L
 RT: 4.22 min Scan# 975
 Delta R.T. 0.00 min
 Lab File: VU030350.D
 Acq: 23 Mar 2019 19:13

Instrument :
 MSVOA_U
 ClientSampleId :
 BF1A3

Tot Ion: 96 Resp: 8732
 Ion Ratio Lower Upper
 96 100
 61 126.7 98.4 182.8
 68 0.0 0.0 0.0

