

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU032419\
 Data File : VU030366.D
 Acq On : 24 Mar 2019 13:28
 Operator : JC/SP
 Sample : K2070-19
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C09J3

Quant Time: Mar 25 04:04:39 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 25 03:20:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	407698	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	383948	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	152404	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	140621	42.86	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.72%
7) Chloroethane-d5	1.68	69	116895	44.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.90%
11) 1,1-Dichloroethene-d2	2.27	63	203984	32.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.54%
21) 2-Butanone-d5	4.18	46	280184	90.84	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	90.84%
24) Chloroform-d	4.64	84	259111	45.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.66%
26) 1,2-Dichloroethane-d4	5.31	65	174609	47.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.40%
32) Benzene-d6	5.34	84	528526	48.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.00%
36) 1,2-Dichloropropane-d6	6.33	67	189721	50.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.72%
41) Toluene-d8	7.56	98	453952	45.91	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.82%
43) trans-1,3-Dichloropropene-	7.85	79	74436	42.02	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.04%
47) 2-Hexanone-d5	8.31	63	183351	89.82	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	89.82%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	248016	46.01	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.02%
64) 1,2-Dichlorobenzene-d4	11.86	152	151187	49.51	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.02%


Target Compounds				Ovalue
13) Acetone	2.32	43	13208	4.234 ug/L 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU032419\
Data File : VU030366.D
Acq On : 24 Mar 2019 13:28
Operator : JC/SP
Sample : K2070-19
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C09J3

Quant Time: Mar 25 04:04:39 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Mar 25 03:20:51 2019
Response via : Initial Calibration





#13

Acetone

Concen: 4.234 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU030366.D

Acq: 24 Mar 2019 13:28

Instrument :

MSVOA_U

ClientSampleId :


C09J3

Tot Ion: 43 Resp: 13208

Ion Ratio Lower Upper

43 100

58 30.9 0.0 62.8



Abundance Ion 43.00 (42.70 to 43.70): VU0

Ion 58.00 (57.70 to 58.70): VU0

