

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU032519\
 Data File : VU030405.D
 Acq On : 25 Mar 2019 16:16
 Operator : JC/SP
 Sample : VU0325WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK55

Quant Time: Mar 26 13:35:46 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 26 01:25:56 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	443544	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	418931	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	172450	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	181057	50.72	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	101.44%
7) Chloroethane-d5	1.67	69	142712	50.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.88%
11) 1,1-Dichloroethene-d2	2.27	63	247339	36.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.06%
21) 2-Butanone-d5	4.17	46	332469	99.08	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	99.08%
24) Chloroform-d	4.64	84	291153	47.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.68%
26) 1,2-Dichloroethane-d4	5.31	65	197141	48.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.98%
32) Benzene-d6	5.34	84	599464	49.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.80%
36) 1,2-Dichloropropane-d6	6.32	67	213033	51.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.66%
41) Toluene-d8	7.56	98	517633	47.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.96%
43) trans-1,3-Dichloropropene-	7.85	79	90898	47.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.06%
47) 2-Hexanone-d5	8.31	63	219411	98.50	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.50%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	285645	48.56	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.12%
64) 1,2-Dichlorobenzene-d4	11.86	152	172598	49.95	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.90%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU032519\
Data File : VU030405.D
Acq On : 25 Mar 2019 16:16
Operator : JC/SP
Sample : VU0325WBL01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK55

Quant Time: Mar 26 13:35:46 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 26 01:25:56 2019
Response via : Initial Calibration

