

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU032519\
 Data File : VU030413.D
 Acq On : 25 Mar 2019 19:30
 Operator : JC/SP
 Sample : K2016-09
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0986

Manual Integrations
 APPROVED

MMDadoda
 3/26/2019 1:37:00 PM

Quant Time: Mar 26 13:41:54 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 26 01:25:56 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	453820	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	428551	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	172302	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	196817	53.89	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	107.78%
7) Chloroethane-d5	1.68	69	152342	52.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	105.24%
11) 1,1-Dichloroethene-d2	2.27	63	267630m	38.63	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.26%
21) 2-Butanone-d5	4.17	46	312670	91.07	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.07%
24) Chloroform-d	4.64	84	307551	48.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.74%
26) 1,2-Dichloroethane-d4	5.31	65	204732	49.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.44%
32) Benzene-d6	5.34	84	629925	51.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.52%
36) 1,2-Dichloropropane-d6	6.33	67	221877	52.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.54%
41) Toluene-d8	7.56	98	547052	49.56	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.12%
43) trans-1,3-Dichloropropene-	7.85	79	94840	47.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.94%
47) 2-Hexanone-d5	8.31	63	206584	90.66	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.66%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	283907	47.18	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.36%
64) 1,2-Dichlorobenzene-d4	11.86	152	175881	50.94	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.88%

Target Compounds					Ovalue
13) Acetone	2.32	43	8116	2.337 ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU032519\
Data File : VU030413.D
Acq On : 25 Mar 2019 19:30
Operator : JC/SP
Sample : K2016-09
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
C0986

Manual Integrations
APPROVED

MMDadoda
3/26/2019 1:37:00 PM

Quant Time: Mar 26 13:41:54 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 26 01:25:56 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.337 ug/L

RT: 2.32 min Scan# 383

Delta R.T. -0.00 min

Lab File: VU030413.D

Acq: 25 Mar 2019 19:30

Instrument :

MSVOA_U

ClientSampleId :

C0986

Tot Ion: 43 Resp: 8116

Ion Ratio Lower Upper

43 100

58 31.1 0.0 62.8

Manual Integrations

APPROVED

MMDadoda

3/26/2019 1:37:00 PM

