

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU032519\
 Data File : VU030415.D
 Acq On : 25 Mar 2019 20:17
 Operator : JC/SP
 Sample : K2016-17
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C09E6

Quant Time: Mar 26 02:55:17 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 26 01:25:56 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	467422	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	437647	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	172077	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	195535	51.98	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	103.96%
7) Chloroethane-d5	1.68	69	153923	51.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	103.24%
11) 1,1-Dichloroethene-d2	2.27	63	264709	37.10	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.20%
21) 2-Butanone-d5	4.17	46	328166	92.80	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	92.80%
24) Chloroform-d	4.64	84	306284	47.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.52%
26) 1,2-Dichloroethane-d4	5.31	65	202476	47.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.48%
32) Benzene-d6	5.34	84	641025	51.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.16%
36) 1,2-Dichloropropane-d6	6.33	67	222035	51.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.42%
41) Toluene-d8	7.56	98	548697	48.68	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.36%
43) trans-1,3-Dichloropropene-	7.85	79	94079	46.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.18%
47) 2-Hexanone-d5	8.31	63	206222	88.62	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	88.62%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	282922	46.04	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.08%
64) 1,2-Dichlorobenzene-d4	11.86	152	175186	50.81	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.62%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU032519\
Data File : VU030415.D
Acq On : 25 Mar 2019 20:17
Operator : JC/SP
Sample : K2016-17
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C09E6

Quant Time: Mar 26 02:55:17 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 26 01:25:56 2019
Response via : Initial Calibration

