

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032524\
 Data File : VU058217.D
 Acq On : 25 Mar 2024 18:13
 Operator : MD/SY
 Sample : P1796-10
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GCFZ5

Quant Time: Mar 26 01:43:19 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR032124WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Mar 26 01:41:16 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	68391	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	66986	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	30001	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	24083	4.167	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	83.400%	
7) Chloroethane-d5	1.907	69	23446	4.970	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	99.400%	
11) 1,1-Dichloroethene-d2	2.560	65	9965	4.153	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	83.000%	
20) 2-Butanone-d5	4.624	46	55186	53.748	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	107.500%	
24) Chloroform-d	5.052	84	48417	4.686	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	93.800%	
26) 1,2-Dichloroethane-d4	5.695	65	25261	5.229	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	104.600%	
32) Benzene-d6	5.717	84	98183	4.513	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	90.200%	
36) 1,2-Dichloropropane-d6	6.682	67	31529	4.917	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	98.400%	
41) Toluene-d8	7.891	98	84055	4.361	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	87.200%	
43) trans-1,3-Dichloroprop...	8.174	79	9228	4.491	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	89.800%	
46) 2-Hexanone-d5	8.627	63	41102	49.397	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	98.800%	
56) 1,1,2,2-Tetrachloroeth...	10.749	84	20984	5.023	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	100.400%	
66) 1,2-Dichlorobenzene-d4	12.187	152	27842	4.984	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	99.600%	
Target Compounds						Qvalue
14) Carbon disulfide	2.785	76	4381	0.572	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032524\
Data File : VU058217.D
Acq On : 25 Mar 2024 18:13
Operator : MD/SY
Sample : P1796-10
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GCFZ5

Quant Time: Mar 26 01:43:19 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR032124WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Mar 26 01:41:16 2024
Response via : Initial Calibration

