

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU032719\
 Data File : VU030486.D
 Acq On : 27 Mar 2019 16:23
 Operator : JC/SP
 Sample : VU0327WBL02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK60

Quant Time: Mar 28 02:56:49 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Mar 28 02:45:06 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	388236	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	368224	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	151622	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	157180	50.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	100.62%
7) Chloroethane-d5	1.68	69	135021	54.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	109.04%
11) 1,1-Dichloroethene-d2	2.27	63	229801	38.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.54%
21) 2-Butanone-d5	4.17	46	313305	106.67	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.67%
24) Chloroform-d	4.65	84	281438	52.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.56%
26) 1,2-Dichloroethane-d4	5.31	65	191099	54.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.50%
32) Benzene-d6	5.34	84	559681	53.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.00%
36) 1,2-Dichloropropane-d6	6.33	67	203144	56.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	112.46%
41) Toluene-d8	7.56	98	480877	50.71	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.42%
43) trans-1,3-Dichloropropene-	7.85	79	86137	50.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	101.40%
47) 2-Hexanone-d5	8.31	63	205152	104.79	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.79%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	271712	52.56	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	105.12%
64) 1,2-Dichlorobenzene-d4	11.86	152	162583	53.52	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.04%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU032719\
Data File : VU030486.D
Acq On : 27 Mar 2019 16:23
Operator : JC/SP
Sample : VU0327WBL02
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK60

Quant Time: Mar 28 02:56:49 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Mar 28 02:45:06 2019
Response via : Initial Calibration

