

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU032819\
 Data File : VU030518.D
 Acq On : 28 Mar 2019 16:36
 Operator : JC/SP
 Sample : K2120-16
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Mar 29 01:42:09 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 29 01:19:16 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	345989	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	339129	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	130929	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	142891	51.32	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	102.64%
7) Chloroethane-d5	1.68	69	117555	53.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	106.52%
11) 1,1-Dichloroethene-d2	2.27	63	207079	39.20	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.40%
21) 2-Butanone-d5	4.17	46	254091	97.07	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.07%
24) Chloroform-d	4.64	84	253210	52.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.56%
26) 1,2-Dichloroethane-d4	5.31	65	176817	56.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	112.64%
32) Benzene-d6	5.34	84	517221	53.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.36%
36) 1,2-Dichloropropane-d6	6.33	67	184070	55.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	110.64%
41) Toluene-d8	7.56	98	445696	51.03	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.06%
43) trans-1,3-Dichloropropene-	7.85	79	80003	51.13	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	102.26%
47) 2-Hexanone-d5	8.31	63	136688	75.81	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	75.81%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	241603	50.74	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	101.48%
64) 1,2-Dichlorobenzene-d4	11.86	152	143553	54.72	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	109.44%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU032819\
Data File : VU030518.D
Acq On : 28 Mar 2019 16:36
Operator : JC/SP
Sample : K2120-16
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Mar 29 01:42:09 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 29 01:19:16 2019
Response via : Initial Calibration

