

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032823\
 Data File : VU053444.D
 Acq On : 28 Mar 2023 19:24
 Operator : JC/MD
 Sample : 02054-05
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EYF62

Quant Time: Mar 29 01:14:36 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031523WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 29 01:10:06 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.243	114	204608	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.414	117	191591	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.809	152	90676	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	85962	45.540	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	91.080%
7) Chloroethane-d5	1.912	69	68894	45.121	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.240%
11) 1,1-Dichloroethene-d2	2.565	63	106985	32.718	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.440%
21) 2-Butanone-d5	4.623	46	104734	119.629	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	119.630%
24) Chloroform-d	5.057	84	135698	43.646	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.300%
26) 1,2-Dichloroethane-d4	5.697	65	93611	48.482	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.960%
32) Benzene-d6	5.722	84	284438	45.771	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.540%
36) 1,2-Dichloropropane-d6	6.684	67	95543	47.637	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.280%
41) Toluene-d8	7.893	98	256940	44.409	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.820%
43) trans-1,3-Dichloroprop...	8.176	79	44072	44.537	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.080%
47) 2-Hexanone-d5	8.629	63	61202	97.605	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	97.600%
56) 1,1,2,2-Tetrachloroeth...	10.751	84	129541	49.859	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.720%
66) 1,2-Dichlorobenzene-d4	12.188	152	92881	52.901	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.800%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032823\
Data File : VU053444.D
Acq On : 28 Mar 2023 19:24
Operator : JC/MD
Sample : 02054-05
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EYF62

Quant Time: Mar 29 01:14:36 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031523WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 29 01:10:06 2023
Response via : Initial Calibration

