

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032921\
 Data File : VU042819.D
 Acq On : 29 Mar 2021 16:26
 Operator : SY/MD
 Sample : M1846-10
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YAR24

Quant Time: Mar 30 01:16:38 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR030221WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Mar 30 01:12:10 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.260	114	82056	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	80801	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.819	152	39382	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	20545	3.76	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	75.20%
7) Chloroethane-d5	1.919	69	19054	4.60	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	92.00%
11) 1,1-Dichloroethene-d2	2.575	63	36634	2.97	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	59.40%#
20) 2-Butanone-d5	4.649	46	78354	43.62	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	87.24%
24) Chloroform-d	5.073	84	48113	4.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.00%
26) 1,2-Dichloroethane-d4	5.713	65	30034	4.51	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.20%
32) Benzene-d6	5.735	84	87743	4.43	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.60%
36) 1,2-Dichloropropane-d6	6.700	67	29334	4.59	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.80%
41) Toluene-d8	7.906	98	78030	4.03	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.60%
43) trans-1,3-Dichloroprop...	8.189	79	11939	4.00	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.00%
46) 2-Hexanone-d5	8.645	63	65085	45.53	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	91.06%
57) 1,1,2,2-Tetrachloroeth...	10.764	84	25163	4.42	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	88.40%
64) 1,2-Dichlorobenzene-d4	12.201	152	33122	4.64	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	92.80%
Target Compounds						Qvalue
34) Trichloroethene	6.549	95	2889	0.41	ug/L	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032921\
Data File : VU042819.D
Acq On : 29 Mar 2021 16:26
Operator : SY/MD
Sample : M1846-10
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YAR24

Quant Time: Mar 30 01:16:38 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR030221WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Mar 30 01:12:10 2021
Response via : Initial Calibration

