

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032921\
 Data File : VU042809.D
 Acq On : 29 Mar 2021 12:13
 Operator : SY/MD
 Sample : M1818-08
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AA9

Quant Time: Mar 30 01:13:14 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR030221WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Mar 30 01:12:10 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.259	114	83668	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.427	117	84218	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.822	152	41615	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	23379	4.19	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	83.80%
7) Chloroethane-d5	1.922	69	20344	4.82	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	96.40%
11) 1,1-Dichloroethene-d2	2.575	63	41745	3.31	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.20%
20) 2-Butanone-d5	4.649	46	81750	44.64	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	89.28%
24) Chloroform-d	5.076	84	54306	4.92	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.40%
26) 1,2-Dichloroethane-d4	5.713	65	33502	4.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.80%
32) Benzene-d6	5.735	84	96742	4.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.80%
36) 1,2-Dichloropropane-d6	6.700	67	32638	4.90	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.00%
41) Toluene-d8	7.909	98	88764	4.40	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.00%
43) trans-1,3-Dichloroprop...	8.189	79	13388	4.30	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.00%
46) 2-Hexanone-d5	8.648	63	73025	49.01	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.02%
57) 1,1,2,2-Tetrachloroeth...	10.767	84	27991	4.72	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	94.40%
64) 1,2-Dichlorobenzene-d4	12.205	152	37455	4.96	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.20%
Target Compounds					Qvalue	
13) Acetone	2.658	43	4361	3.09	ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032921\
Data File : VU042809.D
Acq On : 29 Mar 2021 12:13
Operator : SY/MD
Sample : M1818-08
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AA9

Quant Time: Mar 30 01:13:14 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR030221WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Mar 30 01:12:10 2021
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.09 ug/L
 RT: 2.658 min Scan# 410
 Delta R.T. 0.000 min
 Lab File: VU042809.D
 Acq: 29 Mar 2021 12:13

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AA9

Tgt Ion: 43 Resp: 4361
 Ion Ratio Lower Upper
 43 100
 58 22.5 0.0 55.8

