

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU033019\
 Data File : VU030553.D
 Acq On : 29 Mar 2019 19:44
 Operator : JC/SP
 Sample : K2168-21
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Mar 30 02:47:24 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 30 02:12:04 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	376888	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	361776	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	139115	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	162716	53.65	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	107.30%
7) Chloroethane-d5	1.68	69	133424	55.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	111.00%
11) 1,1-Dichloroethene-d2	2.27	63	237240	41.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.46%
21) 2-Butanone-d5	4.18	46	299833	105.16	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.16%
24) Chloroform-d	4.64	84	286860	54.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	109.78%
26) 1,2-Dichloroethane-d4	5.31	65	195138	57.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	114.12%
32) Benzene-d6	5.34	84	581139	56.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	112.02%
36) 1,2-Dichloropropane-d6	6.33	67	205206	57.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	115.62%
41) Toluene-d8	7.56	98	494468	53.07	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	106.14%
43) trans-1,3-Dichloropropene-	7.85	79	84775	50.79	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	101.58%
47) 2-Hexanone-d5	8.31	63	190406	98.99	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.99%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	274716	54.08	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	108.16%
64) 1,2-Dichlorobenzene-d4	11.86	152	162609	58.34	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	116.68%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU033019\
Data File : VU030553.D
Acq On : 29 Mar 2019 19:44
Operator : JC/SP
Sample : K2168-21
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Mar 30 02:47:24 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 30 02:12:04 2019
Response via : Initial Calibration

