

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU033019\
 Data File : VU030561.D
 Acq On : 29 Mar 2019 22:53
 Operator : JC/SP
 Sample : K2166-13 10X
 Misc : 6.01g/5mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF0M3

Quant Time: Mar 30 03:39:30 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 30 02:12:04 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	429924	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	415918	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	167630	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	146894	42.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.92%
7) Chloroethane-d5	1.65	69	127615	46.53	ug/L	-0.02
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.06%
11) 1,1-Dichloroethene-d2	2.26	63	215094	32.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.54%
21) 2-Butanone-d5	4.17	46	336503	103.46	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.46%
24) Chloroform-d	4.64	84	282348	47.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.72%
26) 1,2-Dichloroethane-d4	5.31	65	197722	50.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.38%
32) Benzene-d6	5.33	84	559172	46.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.76%
36) 1,2-Dichloropropane-d6	6.33	67	203937	49.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.94%
41) Toluene-d8	7.56	98	464533	43.37	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.74%
43) trans-1,3-Dichloropropene-	7.85	79	82637	43.07	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.14%
47) 2-Hexanone-d5	8.31	63	221127	99.99	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.99%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	300340	51.43	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.86%
64) 1,2-Dichlorobenzene-d4	11.86	152	166357	49.53	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.06%

Target Compounds					Qvalue
46) Tetrachloroethene	8.22	164	13032	5.361 ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU033019\
Data File : VU030561.D
Acq On : 29 Mar 2019 22:53
Operator : JC/SP
Sample : K2166-13 10X
Misc : 6.01g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF0M3

Quant Time: Mar 30 03:39:30 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 30 02:12:04 2019
Response via : Initial Calibration

