

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU033021\
 Data File : VU042840.D
 Acq On : 30 Mar 2021 15:48
 Operator : SY/MD
 Sample : M1846-03
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YAR33

Quant Time: Mar 31 02:11:30 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR030221WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Mar 31 02:07:34 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc Units	Dev(Min)

Internal Standards					
1) 1,4-Difluorobenzene	6.260	114	78917	5.00 ug/L	0.00
28) Chlorobenzene-d5	9.427	117	81597	5.00 ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.822	152	37405	5.00 ug/L	0.00

System Monitoring Compounds					
4) Vinyl Chloride-d3	1.604	65	20648	3.92 ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	= 78.40%
7) Chloroethane-d5	1.919	69	18194	4.57 ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	= 91.40%
11) 1,1-Dichloroethene-d2	2.575	63	37711	3.17 ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	= 63.40%
20) 2-Butanone-d5	4.652	46	72618	42.04 ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	= 84.08%
24) Chloroform-d	5.076	84	48668	4.68 ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	= 93.60%
26) 1,2-Dichloroethane-d4	5.716	65	31840	4.97 ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	= 99.40%
32) Benzene-d6	5.739	84	87044	4.35 ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	= 87.00%
36) 1,2-Dichloropropane-d6	6.700	67	28886	4.48 ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	= 89.60%
41) Toluene-d8	7.906	98	77584	3.97 ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	= 79.40%
43) trans-1,3-Dichloroprop...	8.189	79	11975	3.97 ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	= 79.40%
46) 2-Hexanone-d5	8.649	63	67778	46.95 ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	= 93.90%
57) 1,1,2,2-Tetrachloroeth...	10.768	84	26734	4.65 ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	= 93.00%
64) 1,2-Dichlorobenzene-d4	12.202	152	33949	5.01 ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	= 100.20%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU033021\
Data File : VU042840.D
Acq On : 30 Mar 2021 15:48
Operator : SY/MD
Sample : M1846-03
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YAR33

Quant Time: Mar 31 02:11:30 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR030221WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Mar 31 02:07:34 2021
Response via : Initial Calibration

