

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU033021\
 Data File : VU042832.D
 Acq On : 30 Mar 2021 12:02
 Operator : SY/MD
 Sample : M1846-06
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YAR34

Quant Time: Mar 31 02:08:55 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR030221WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Mar 31 02:07:34 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.259	114	86191	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.427	117	85712	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.822	152	40336	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	20703	3.60	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	72.00%
7) Chloroethane-d5	1.919	69	19685	4.52	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	90.40%
11) 1,1-Dichloroethene-d2	2.575	63	38172	2.94	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.80%#
20) 2-Butanone-d5	4.649	46	86762	45.99	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	91.98%
24) Chloroform-d	5.073	84	49276	4.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.80%
26) 1,2-Dichloroethane-d4	5.713	65	31539	4.51	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.20%
32) Benzene-d6	5.735	84	88934	4.23	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.60%
36) 1,2-Dichloropropane-d6	6.700	67	29988	4.42	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	88.40%
41) Toluene-d8	7.906	98	78879	3.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	76.80%
43) trans-1,3-Dichloroprop...	8.185	79	12013	3.79	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	75.80%
46) 2-Hexanone-d5	8.645	63	67867	44.75	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	89.50%
57) 1,1,2,2-Tetrachloroeth...	10.764	84	25991	4.30	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.00%
64) 1,2-Dichlorobenzene-d4	12.201	152	33982	4.65	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	93.00%
Target Compounds					Qvalue	
13) Acetone	2.655	43	21346	14.68	ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU033021\
Data File : VU042832.D
Acq On : 30 Mar 2021 12:02
Operator : SY/MD
Sample : M1846-06
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YAR34

Quant Time: Mar 31 02:08:55 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR030221WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Mar 31 02:07:34 2021
Response via : Initial Calibration





#13
 Acetone
 Concen: 14.68 ug/L
 RT: 2.655 min Scan# 409
 Delta R.T. -0.010 min
 Lab File: VU042832.D
 Acq: 30 Mar 2021 12:02

Instrument :
 MSVOA_U
 ClientSampleId :
 YAR34

Tgt Ion: 43 Resp: 21346
 Ion Ratio Lower Upper
 43 100
 58 23.8 0.0 55.8

