

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU033120\
 Data File : VU037507.D
 Acq On : 31 Mar 2020 19:58
 Operator : JC/MD
 Sample : L2002-01DL 20X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GAWG5DL

Quant Time: Apr 01 02:36:47 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR033120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Apr 01 01:25:39 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	91827	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	87481	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	40672	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	25211	3.78	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	75.60%
7) Chloroethane-d5	1.93	69	22767	3.91	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	78.20%
11) 1,1-Dichloroethene-d2	2.59	63	36582	2.79	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	55.80%#
20) 2-Butanone-d5	4.68	46	100059	48.43	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	96.86%
24) Chloroform-d	5.11	84	53377	4.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.40%
26) 1,2-Dichloroethane-d4	5.74	65	30246	4.23	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.60%
32) Benzene-d6	5.76	84	102388	4.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.00%
36) 1,2-Dichloropropane-d6	6.72	67	36238	4.32	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	86.40%
41) Toluene-d8	7.92	98	89847	3.80	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	76.00%
43) trans-1,3-Dichloropropene-	8.20	79	15157	4.05	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	81.00%
46) 2-Hexanone-d5	8.66	63	84047	48.44	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.88%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	31914	4.56	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	91.20%
64) 1,2-Dichlorobenzene-d4	12.21	152	33495	4.25	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	85.00%

Target Compounds					Ovalue
31) Carbon tetrachloride	5.56	117	77443	8.467 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU033120\
Data File : VU037507.D
Acq On : 31 Mar 2020 19:58
Operator : JC/MD
Sample : L2002-01DL 20X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GAWG5DL

Quant Time: Apr 01 02:36:47 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR033120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Apr 01 01:25:39 2020
Response via : Initial Calibration

