

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040119\
 Data File : VU030584.D
 Acq On : 31 Mar 2019 12:55
 Operator : JC/SP
 Sample : VU0401WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK36

Quant Time: Apr 01 02:21:11 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Apr 01 02:05:14 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	421347	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	418977	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	170144	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	153526	45.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.56%
7) Chloroethane-d5	1.67	69	128938	47.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.94%
11) 1,1-Dichloroethene-d2	2.27	63	229853	35.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.46%
21) 2-Butanone-d5	4.17	46	312021	97.88	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.88%
24) Chloroform-d	4.64	84	283469	48.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.04%
26) 1,2-Dichloroethane-d4	5.31	65	196535	51.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.82%
32) Benzene-d6	5.34	84	577681	48.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.16%
36) 1,2-Dichloropropane-d6	6.33	67	200600	48.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.60%
41) Toluene-d8	7.56	98	494107	45.79	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.58%
43) trans-1,3-Dichloropropene-	7.85	79	90320	46.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.46%
47) 2-Hexanone-d5	8.31	63	190810	85.66	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	85.66%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	279033	47.43	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.86%
64) 1,2-Dichlorobenzene-d4	11.86	152	170750	50.09	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.18%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040119\
Data File : VU030584.D
Acq On : 31 Mar 2019 12:55
Operator : JC/SP
Sample : VU0401WBL01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK36

Quant Time: Apr 01 02:21:11 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Apr 01 02:05:14 2019
Response via : Initial Calibration

