

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040320\
 Data File : VU037571.D
 Acq On : 03 Apr 2020 17:08
 Operator : JC/MD
 Sample : L2158-09
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0F06

Quant Time: Apr 04 06:02:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 04 05:18:00 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	171954	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	162289	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	75439	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	59792	42.81	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.62%
7) Chloroethane-d5	1.93	69	47153	42.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.04%
11) 1,1-Dichloroethene-d2	2.59	63	80081	34.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.22%
21) 2-Butanone-d5	4.67	46	95727	91.20	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.20%
24) Chloroform-d	5.10	84	102054	43.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.74%
26) 1,2-Dichloroethane-d4	5.74	65	68062	43.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.14%
32) Benzene-d6	5.76	84	213035	45.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.60%
36) 1,2-Dichloropropane-d6	6.72	67	70799	44.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.46%
41) Toluene-d8	7.92	98	195478	44.61	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.22%
43) trans-1,3-Dichloropropene-	8.20	79	36495	42.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.92%
47) 2-Hexanone-d5	8.65	63	72913	86.94	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	86.94%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	101500	44.85	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.70%
64) 1,2-Dichlorobenzene-d4	12.21	152	71314	46.33	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.66%


Target Compounds					Ovalue
13) Acetone	2.65	43	3624	5.973 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040320\
Data File : VU037571.D
Acq On : 03 Apr 2020 17:08
Operator : JC/MD
Sample : L2158-09
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0F06

Quant Time: Apr 04 06:02:28 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040320WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 04 05:18:00 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 5.973 ug/L
 RT: 2.65 min Scan# 408
 Delta R.T. -0.00 min
 Lab File: VU037571.D
 Acq: 03 Apr 2020 17:08

Instrument :
 MSVOA_U
 ClientSampleId :
 C0F06

Tot Ion: 43 Resp: 3624
 Ion Ratio Lower Upper
 43 100
 58 30.2 0.0 68.8

