

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040320\
 Data File : VU037572.D
 Acq On : 03 Apr 2020 17:31
 Operator : JC/MD
 Sample : L2158-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0F07

Quant Time: Apr 04 06:11:49 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 04 05:18:00 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	175514	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	161484	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	76170	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	61785	43.34	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.68%
7) Chloroethane-d5	1.93	69	49433	43.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.32%
11) 1,1-Dichloroethene-d2	2.59	63	83560	34.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.74%
21) 2-Butanone-d5	4.67	46	100794	94.08	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.08%
24) Chloroform-d	5.11	84	105392	43.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.76%
26) 1,2-Dichloroethane-d4	5.74	65	70317	44.10	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.20%
32) Benzene-d6	5.76	84	217036	46.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.76%
36) 1,2-Dichloropropane-d6	6.72	67	74169	47.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.18%
41) Toluene-d8	7.92	98	200416	45.96	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.92%
43) trans-1,3-Dichloropropene-	8.20	79	37932	44.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.72%
47) 2-Hexanone-d5	8.65	63	77888	93.34	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	93.34%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	105344	46.79	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.58%
64) 1,2-Dichlorobenzene-d4	12.21	152	72327	46.53	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.06%


Target Compounds					Ovalue
13) Acetone	2.65	43	3490	5.636 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040320\
Data File : VU037572.D
Acq On : 03 Apr 2020 17:31
Operator : JC/MD
Sample : L2158-10
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0F07

Quant Time: Apr 04 06:11:49 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040320WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 04 05:18:00 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 5.636 ug/L
 RT: 2.65 min Scan# 408
 Delta R.T. -0.00 min
 Lab File: VU037572.D
 Acq: 03 Apr 2020 17:31

Instrument :
 MSVOA_U
 ClientSampleId :
 C0F07

Tot Ion: 43 Resp: 3490
 Ion Ratio Lower Upper
 43 100
 58 30.3 0.0 68.8

