

Data File : VU030631.D
Acq On : 03 Apr 2019 16:47
Operator : JC/SP
Sample : K2148-11
Misc : 4.46g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Apr 04 07:22:49 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 04 06:52:42 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	502813	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	505733	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	262277	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	175302	43.32	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.64%
7) Chloroethane-d5	1.64	69	122453m	38.18	ug/L	-0.04
Spiked Amount	50.000	Range	70 - 130	Recovery	=	76.36%
11) 1,1-Dichloroethene-d2	2.24	63	260124	33.89	ug/L	-0.03
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.78%
21) 2-Butanone-d5	4.19	46	295417	77.66	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	77.66%
24) Chloroform-d	4.64	84	283459	40.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	81.32%
26) 1,2-Dichloroethane-d4	5.30	65	192498	42.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.38%
32) Benzene-d6	5.33	84	613982	42.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.66%
36) 1,2-Dichloropropane-d6	6.32	67	209866	42.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	84.58%
41) Toluene-d8	7.56	98	530217	40.71	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	81.42%
43) trans-1,3-Dichloropropene-	7.85	79	93764	40.19	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.38%
47) 2-Hexanone-d5	8.31	63	207601	77.21	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	77.21%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	300481	42.32	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	84.64%
64) 1,2-Dichlorobenzene-d4	11.86	152	231778	44.10	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.20%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU030631.D
Acq On : 03 Apr 2019 16:47
Operator : JC/SP
Sample : K2148-11
Misc : 4.46g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Apr 04 07:22:49 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 04 06:52:42 2019
Response via : Initial Calibration

