

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040419\
 Data File : VU030681.D
 Acq On : 04 Apr 2019 13:01
 Operator : JC/SP
 Sample : K2215-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 59 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF2L7

Quant Time: Apr 04 13:44:44 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 02 08:36:56 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	487476	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	474934	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	207131	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	194776	49.65	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	99.30%
7) Chloroethane-d5	1.68	69	157917	50.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	101.56%
11) 1,1-Dichloroethene-d2	2.27	63	271679	36.51	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.02%
21) 2-Butanone-d5	4.17	46	339019	91.93	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.93%
24) Chloroform-d	4.64	84	301279	44.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.14%
26) 1,2-Dichloroethane-d4	5.31	65	211046	47.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.42%
32) Benzene-d6	5.34	84	631018	46.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.66%
36) 1,2-Dichloropropane-d6	6.33	67	223286	47.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.84%
41) Toluene-d8	7.56	98	544133	44.48	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.96%
43) trans-1,3-Dichloropropene-	7.85	79	97573	44.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.06%
47) 2-Hexanone-d5	8.31	63	217711	86.22	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	86.22%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	307144	46.06	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.12%
64) 1,2-Dichlorobenzene-d4	11.86	152	196456	47.34	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.68%

Target Compounds					Ovalue
34) Trichloroethene	6.18	95	22903	5.763 ug/L	97
42) Toluene	7.64	91	43711	2.605 ug/L	98
46) Tetrachloroethene	8.22	164	35798	12.896 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040419\
Data File : VU030681.D
Acq On : 04 Apr 2019 13:01
Operator : JC/SP
Sample : K2215-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 59 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF2L7

Quant Time: Apr 04 13:44:44 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032319WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 02 08:36:56 2019
Response via : Initial Calibration

