

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU040423\
 Data File : VU053566.D
 Acq On : 04 Apr 2023 17:07
 Operator : JC/MD
 Sample : 02158-27
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DUP-1(20230328)

Quant Time: Apr 04 23:13:03 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM033123WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 01 04:51:17 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.243	114	253301	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.414	117	240594	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.809	152	122457	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	68810	34.887	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	69.780%		
7) Chloroethane-d5	1.909	69	63211	41.566	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	83.140%		
11) 1,1-Dichloroethene-d2	2.562	63	86602	28.365	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	56.720%#		
21) 2-Butanone-d5	4.613	46	99034	110.901	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	110.900%		
24) Chloroform-d	5.057	84	135156	41.434	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	82.860%		
26) 1,2-Dichloroethane-d4	5.693	65	89693	46.534	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.060%		
32) Benzene-d6	5.722	84	272446	41.952	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	83.900%		
36) 1,2-Dichloropropane-d6	6.684	67	88521	44.595	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	89.180%		
41) Toluene-d8	7.893	98	253308	39.244	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	78.480%#		
43) trans-1,3-Dichloroprop...	8.176	79	42454	41.433	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	82.860%		
47) 2-Hexanone-d5	8.626	63	77820	114.871	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	114.870%		
56) 1,1,2,2-Tetrachloroeth...	10.751	84	135015	48.258	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	96.520%		
66) 1,2-Dichlorobenzene-d4	12.188	152	107177	41.930	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	83.860%		
Target Compounds					Qvalue	
12) 1,1-Dichloroethene	2.565	96	963	0.620	ug/L #	1
25) Chloroform	5.086	83	2025	0.682	ug/L	82


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU040423\
Data File : VU053566.D
Acq On : 04 Apr 2023 17:07
Operator : JC/MD
Sample : 02158-27
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DUP-1(20230328)

Quant Time: Apr 04 23:13:03 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM033123WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 01 04:51:17 2023
Response via : Initial Calibration





#12

1,1-Dichloroethene

Concen: 0.620 ug/L

RT: 2.565 min Scan# 31

Delta R.T. -0.013 min

Lab File: VU053566.D

Acq: 04 Apr 2023 17:07

Instrument :

MSVOA_U

ClientSampleId :

DUP-1(20230328)





Tgt Ion: 96 Resp: 963

Ion Ratio Lower Upper

96 100

61 1097.4 107.9 200.5#

63 8682.7 79.1 146.9#



#25

Chloroform

Concen: 0.682 ug/L

RT: 5.086 min Scan# 1165

Delta R.T. 0.003 min

Lab File: VU053566.D

Acq: 04 Apr 2023 17:07

Tgt Ion: 83 Resp: 2025

Ion Ratio Lower Upper

83 100

85 51.2 46.1 85.5

