

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040519\
 Data File : VU030706.D
 Acq On : 05 Apr 2019 00:23
 Operator : JC/SP
 Sample : K2246-11 5X
 Misc : 4.95g/5mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF1J9

Quant Time: Apr 05 10:15:51 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 05 02:15:56 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	570961	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	542672	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	242368	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	220378	43.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.48%
7) Chloroethane-d5	1.65	69	168680	43.60	ug/L	-0.02
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.20%
11) 1,1-Dichloroethene-d2	2.26	63	302463	32.81	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.62%
21) 2-Butanone-d5	4.17	46	378457	93.69	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.69%
24) Chloroform-d	4.64	84	330599	42.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.92%
26) 1,2-Dichloroethane-d4	5.30	65	235646	44.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.72%
32) Benzene-d6	5.33	84	729346	46.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.08%
36) 1,2-Dichloropropane-d6	6.32	67	251641	46.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.70%
41) Toluene-d8	7.56	98	633755	45.13	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.26%
43) trans-1,3-Dichloropropene-	7.85	79	108554	43.85	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.70%
47) 2-Hexanone-d5	8.31	63	242898	97.89	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	97.89%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	331785	45.31	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.62%
64) 1,2-Dichlorobenzene-d4	11.86	152	220543	46.27	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.54%

Target Compounds					Ovalue
46) Tetrachloroethene	8.22	164	175739	55.497 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040519\
Data File : VU030706.D
Acq On : 05 Apr 2019 00:23
Operator : JC/SP
Sample : K2246-11 5X
Misc : 4.95µ/5mL/100µL/5.0mL/MSVOA_U/MEOH
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF1J9

Quant Time: Apr 05 10:15:51 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 05 02:15:56 2019
Response via : Initial Calibration

