

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040519\
 Data File : VU030714.D
 Acq On : 05 Apr 2019 03:26
 Operator : JC/SP
 Sample : K2271-21 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB7E2

Quant Time: Apr 05 04:58:38 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 05 02:15:56 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	497726	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	481848	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	203385	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	240402	54.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	108.22%
7) Chloroethane-d5	1.68	69	183861	54.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	109.04%
11) 1,1-Dichloroethene-d2	2.27	63	320945	39.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	79.88%
21) 2-Butanone-d5	4.17	46	381195	108.25	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.25%
24) Chloroform-d	4.64	84	332458	48.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.96%
26) 1,2-Dichloroethane-d4	5.31	65	237858	51.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.72%
32) Benzene-d6	5.33	84	732197	52.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.10%
36) 1,2-Dichloropropane-d6	6.32	67	252376	52.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.70%
41) Toluene-d8	7.56	98	636880	51.08	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.16%
43) trans-1,3-Dichloropropene-	7.85	79	106705	48.54	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.08%
47) 2-Hexanone-d5	8.31	63	234674	106.51	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.51%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	327155	50.31	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.62%
64) 1,2-Dichlorobenzene-d4	11.86	152	210589	52.65	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.30%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040519\
Data File : VU030714.D
Acq On : 05 Apr 2019 03:26
Operator : JC/SP
Sample : K2271-21 50X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB7E2

Quant Time: Apr 05 04:58:38 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 05 02:15:56 2019
Response via : Initial Calibration

