

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040519\
 Data File : VU030737.D
 Acq On : 05 Apr 2019 12:46
 Operator : JC/SP
 Sample : K2276-19DL 4X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 54 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF1B9DL

Manual Integrations
 APPROVED

MMDadoda
 4/6/2019 11:08:23 AM

Quant Time: Apr 06 01:54:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 05 23:39:17 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	462121	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	460654	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	190705	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	198909	48.22	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.44%
7) Chloroethane-d5	1.68	69	159168	50.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	101.68%
11) 1,1-Dichloroethene-d2	2.27	63	282000	37.79	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	75.58%
21) 2-Butanone-d5	4.17	46	337915	103.35	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.35%
24) Chloroform-d	4.64	84	307756m	48.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.68%
26) 1,2-Dichloroethane-d4	5.31	65	222276	51.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.38%
32) Benzene-d6	5.34	84	654968	48.70	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.40%
36) 1,2-Dichloropropane-d6	6.32	67	231506	50.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.46%
41) Toluene-d8	7.56	98	569623	47.79	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.58%
43) trans-1,3-Dichloropropene-	7.85	79	97349	46.32	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.64%
47) 2-Hexanone-d5	8.31	63	209222	99.33	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.33%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	306391	49.29	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.58%
64) 1,2-Dichlorobenzene-d4	11.86	152	193946	51.71	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.42%

Target Compounds					Ovalue
46) Tetrachloroethene	8.22	164	185869	69.146 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040519\
Data File : VU030737.D
Acq On : 05 Apr 2019 12:46
Operator : JC/SP
Sample : K2276-19DL 4X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 54 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF1B9DL

Manual Integrations
APPROVED

MMDadoda
4/6/2019 11:08:23 AM

Quant Time: Apr 06 01:54:14 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 05 23:39:17 2019
Response via : Initial Calibration

