

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040519\
 Data File : VU030720.D
 Acq On : 05 Apr 2019 06:06
 Operator : JC/SP
 Sample : K2269-06
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BR8

Quant Time: Apr 05 08:48:26 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 05 08:33:21 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	461365	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	455477	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	194573	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	228609	55.51	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	111.02%
7) Chloroethane-d5	1.68	69	172564	55.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	110.42%
11) 1,1-Dichloroethene-d2	2.27	63	304927	40.93	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.86%
21) 2-Butanone-d5	4.17	46	342529	104.94	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.94%
24) Chloroform-d	4.64	84	316852	50.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.72%
26) 1,2-Dichloroethane-d4	5.31	65	223513	52.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.14%
32) Benzene-d6	5.34	84	683509	51.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.80%
36) 1,2-Dichloropropane-d6	6.32	67	237585	52.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.28%
41) Toluene-d8	7.56	98	592742	50.29	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.58%
43) trans-1,3-Dichloropropene-	7.85	79	98243	47.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.56%
47) 2-Hexanone-d5	8.31	63	209216	100.45	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.45%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	310107	50.45	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.90%
64) 1,2-Dichlorobenzene-d4	11.86	152	202212	52.84	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.68%


Target Compounds					Ovalue
13) Acetone	2.32	43	19104	5.720 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040519\
Data File : VU030720.D
Acq On : 05 Apr 2019 06:06
Operator : JC/SP
Sample : K2269-06
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BR8

Quant Time: Apr 05 08:48:26 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 05 08:33:21 2019
Response via : Initial Calibration





#13

Acetone

Concen: 5.720 ug/L

RT: 2.32 min Scan# 382

Delta R.T. 0.00 min

Lab File: VU030720.D

Acq: 05 Apr 2019 06:06

Instrument :
MSVOA_U
ClientSampleId :
C0BR8

Tot Ion: 43 Resp: 19104

Ion Ratio Lower Upper

43 100

58 28.4 0.0 64.0

