

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040619\
 Data File : VU030758.D
 Acq On : 05 Apr 2019 22:00
 Operator : JC/SP
 Sample : K2215-07ME 10X
 Misc : 5.59g/5mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF2M8ME

Quant Time: Apr 06 04:13:24 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 06 02:16:29 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	396616	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	381858	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	162755	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	147169	41.57	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.14%
7) Chloroethane-d5	1.67	69	119941	44.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.28%
11) 1,1-Dichloroethene-d2	2.26	63	199305	31.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.24%
21) 2-Butanone-d5	4.17	46	295062	105.15	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.15%
24) Chloroform-d	4.64	84	238168	44.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.08%
26) 1,2-Dichloroethane-d4	5.31	65	175773	47.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.26%
32) Benzene-d6	5.33	84	498488	44.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.44%
36) 1,2-Dichloropropane-d6	6.32	67	179510	46.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.98%
41) Toluene-d8	7.56	98	406422	41.13	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	82.26%
43) trans-1,3-Dichloropropene-	7.85	79	75427	43.30	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.60%
47) 2-Hexanone-d5	8.31	63	171577	98.26	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.26%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	244525	47.45	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.90%
64) 1,2-Dichlorobenzene-d4	11.86	152	146626	45.81	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.62%

Target Compounds					Ovalue
46) Tetrachloroethene	8.22	164	14328	6.430 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040619\
Data File : VU030758.D
Acq On : 05 Apr 2019 22:00
Operator : JC/SP
Sample : K2215-07ME 10X
Misc : 5.59g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF2M8ME

Quant Time: Apr 06 04:13:24 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 06 02:16:29 2019
Response via : Initial Calibration

