

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU040620\
 Data File : VU037587.D
 Acq On : 06 Apr 2020 14:00
 Operator : JC/MD
 Sample : L2158-02DL 5X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0EZ0DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040320WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.610	77	84	96	rBV	83120	87582	14.14%	1.576%
2	1.903	168	175	191	rVB	64109	85485	13.80%	1.539%
3	2.584	374	387	403	rBV	121862	207880	33.55%	3.742%
4	2.713	423	427	428	rBV	521	372	0.06%	0.007%
5	2.806	445	456	471	rVB3	3314	6698	1.08%	0.121%
6	2.922	489	492	495	rBV	341	222	0.04%	0.004%
7	2.957	500	503	506	rBV	334	284	0.05%	0.005%
8	3.070	533	538	545	rVB	1123	1549	0.25%	0.028%
9	3.125	552	555	559	rBV	210	135	0.02%	0.002%
10	3.218	570	584	602	rVB2	11151	25973	4.19%	0.467%
11	3.507	669	674	676	rBV2	522	408	0.07%	0.007%
12	3.546	685	686	687	rBV2	139	44	0.01%	0.001%
13	3.716	734	739	741	rVB2	226	172	0.03%	0.003%
14	3.781	756	759	761	rBV	144	80	0.01%	0.001%
15	3.957	811	814	817	rVB	378	235	0.04%	0.004%
16	3.977	817	820	822	rBV	117	80	0.01%	0.001%
17	4.231	897	899	901	rBV2	150	91	0.01%	0.002%
18	4.298	918	920	922	rBV	178	84	0.01%	0.002%
19	4.668	1019	1035	1061	rBV	73678	193220	31.19%	3.478%
20	4.822	1077	1083	1086	rBV	366	422	0.07%	0.008%
21	4.845	1086	1090	1096	rVV2	235	310	0.05%	0.006%
22	5.012	1139	1142	1145	rBB	418	216	0.03%	0.004%
23	5.099	1154	1169	1187	rVV	114274	246688	39.82%	4.440%
24	5.163	1187	1189	1190	rVV	154	52	0.01%	0.001%
25	5.186	1194	1196	1200	rVB2	268	150	0.02%	0.003%
26	5.240	1210	1213	1216	rBV2	197	156	0.03%	0.003%
27	5.272	1220	1223	1224	rBV	141	76	0.01%	0.001%
28	5.285	1224	1227	1229	rVV	212	116	0.02%	0.002%
29	5.388	1257	1259	1261	rBV	146	78	0.01%	0.001%
30	5.472	1282	1285	1289	rVB	280	204	0.03%	0.004%
31	5.642	1336	1338	1340	rBV	159	85	0.01%	0.002%
32	5.758	1353	1374	1392	rBV2	236872	619542	100.00%	11.151%
33	5.883	1412	1413	1415	rVB2	261	73	0.01%	0.001%
34	5.967	1437	1439	1442	rBV2	159	94	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU040620\
 Data File : VU037587.D
 Acq On : 06 Apr 2020 14:00
 Operator : JC/MD
 Sample : L2158-02DL 5X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0EZ0DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040320WMA.M
 Title : VOC Analysis

35	6.041	1459	1462	1469	rBV	174	165	0.03%	0.003%
36	6.076	1470	1473	1477	rVB2	480	384	0.06%	0.007%
37	6.105	1478	1482	1483	rBV	308	158	0.03%	0.003%
38	6.137	1489	1492	1493	rBV	263	132	0.02%	0.002%
39	6.279	1522	1536	1551	rBV	214412	388590	62.72%	6.994%
40	6.395	1569	1572	1575	rBV	254	146	0.02%	0.003%
41	6.491	1599	1602	1606	rVB	444	402	0.06%	0.007%
42	6.520	1608	1611	1614	rBV	260	201	0.03%	0.004%
43	6.571	1614	1627	1644	rVB	182598	335958	54.23%	6.047%
44	6.665	1653	1656	1659	rBV	271	174	0.03%	0.003%
45	6.719	1659	1673	1691	rVV	150795	291065	46.98%	5.239%
46	6.832	1701	1708	1712	rBV4	817	913	0.15%	0.016%
47	6.890	1724	1726	1728	rBV	382	146	0.02%	0.003%
48	6.909	1730	1732	1735	rVV	211	90	0.01%	0.002%
49	6.925	1735	1737	1744	rVB	184	122	0.02%	0.002%
50	6.980	1751	1754	1756	rBV	186	102	0.02%	0.002%
51	7.038	1770	1772	1775	rVB	234	93	0.02%	0.002%
52	7.079	1784	1785	1790	rVB	240	96	0.02%	0.002%
53	7.099	1790	1791	1793	rBV	136	73	0.01%	0.001%
54	7.205	1819	1824	1826	rBV4	867	738	0.12%	0.013%
55	7.247	1835	1837	1839	rBV	180	72	0.01%	0.001%
56	7.263	1839	1842	1844	rBV2	162	112	0.02%	0.002%
57	7.417	1888	1890	1891	rBV2	169	74	0.01%	0.001%
58	7.591	1932	1944	1962	rBV	98022	168009	27.12%	3.024%
59	7.822	2005	2016	2026	rVB4	2860	5151	0.83%	0.093%
60	7.922	2033	2047	2061	rBV	289046	492655	79.52%	8.867%
61	8.057	2088	2089	2096	rVB2	263	181	0.03%	0.003%
62	8.202	2123	2134	2149	rBV	69991	114884	18.54%	2.068%
63	8.285	2157	2160	2162	rBV	249	140	0.02%	0.003%
64	8.301	2162	2165	2167	rVB	304	163	0.03%	0.003%
65	8.427	2197	2204	2207	rBV2	679	782	0.13%	0.014%
66	8.481	2215	2221	2222	rBV2	709	538	0.09%	0.010%
67	8.575	2241	2250	2258	rBV3	6893	10980	1.77%	0.198%
68	8.658	2263	2276	2301	rVB	250666	427077	68.93%	7.687%
69	8.825	2325	2328	2330	rBV2	485	275	0.04%	0.005%
70	8.944	2362	2365	2374	rVB2	831	737	0.12%	0.013%
71	8.983	2375	2377	2380	rBV	172	79	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU040620\
 Data File : VU037587.D
 Acq On : 06 Apr 2020 14:00
 Operator : JC/MD
 Sample : L2158-02DL 5X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0EZ0DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040320WMA.M
 Title : VOC Analysis

72	9.436	2505	2518	2542	rVB	303036	490334	79.14%	8.826%
73	9.529	2545	2547	2549	rVB	165	63	0.01%	0.001%
74	9.710	2597	2603	2612	rBV3	1442	1845	0.30%	0.033%
75	9.854	2644	2648	2653	rVB2	380	319	0.05%	0.006%
76	9.883	2653	2657	2662	rVB2	374	360	0.06%	0.006%
77	9.909	2662	2665	2668	rBV	177	123	0.02%	0.002%
78	10.121	2722	2731	2741	rVB7	2833	4717	0.76%	0.085%
79	10.189	2750	2752	2753	rBV	221	92	0.01%	0.002%
80	10.394	2813	2816	2817	rBV	202	98	0.02%	0.002%
81	10.449	2831	2833	2838	rBV	263	186	0.03%	0.003%
82	10.668	2898	2901	2904	rBV	275	227	0.04%	0.004%
83	10.774	2922	2934	2949	rBV	226138	364487	58.83%	6.560%
84	10.835	2951	2953	2958	rVB2	742	555	0.09%	0.010%
85	11.754	3234	3239	3247	rVB3	1437	1677	0.27%	0.030%
86	11.825	3249	3261	3274	rVB	313510	488341	78.82%	8.790%
87	12.073	3334	3338	3347	rVB2	1051	1568	0.25%	0.028%
88	12.115	3347	3351	3353	rBV	289	164	0.03%	0.003%
89	12.205	3367	3379	3395	rVB	298851	472803	76.31%	8.510%
90	12.935	3604	3606	3608	rBV	273	121	0.02%	0.002%
91	13.581	3804	3807	3811	rBV	367	332	0.05%	0.006%
92	13.867	3891	3896	3902	rVB3	726	903	0.15%	0.016%
93	14.115	3967	3973	3984	rVB2	4187	5817	0.94%	0.105%
94	14.211	4001	4003	4007	rBV2	296	162	0.03%	0.003%


Sum of corrected areas: 5555807

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU040620\
Data File : VU037587.D
Acq On : 06 Apr 2020 14:00
Operator : JC/MD
Sample : L2158-02DL 5X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0EZ0DL

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040320WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU040620\
Data File : VU037587.D
Acq On : 06 Apr 2020 14:00
Operator : JC/MD
Sample : L2158-02DL 5X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0EZ0DL

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040320WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU040620\
Data File : VU037587.D
Acq On : 06 Apr 2020 14:00
Operator : JC/MD
Sample : L2158-02DL 5X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0EZ0DL

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040320WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	---Internal Standard---
					# RT Resp Conc