

Data File : VU030807.D
Acq On : 06 Apr 2019 17:49
Operator : JC/SP
Sample : K2277-09ME
Misc : 4.51g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Apr 08 06:30:20 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Apr 08 05:01:06 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	506323	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	496465	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	237340	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	109525	24.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	48.46%#
7) Chloroethane-d5	1.64	69	82050m	23.92	ug/L	-0.04
Spiked Amount	50.000	Range	70 - 130	Recovery	=	47.84%#
11) 1,1-Dichloroethene-d2	2.23	63	175744	21.50	ug/L	-0.04
Spiked Amount	50.000	Range	60 - 125	Recovery	=	43.00%#
21) 2-Butanone-d5	4.20	46	204655	57.13	ug/L	0.03
Spiked Amount	100.000	Range	40 - 130	Recovery	=	57.13%
24) Chloroform-d	4.64	84	198343	28.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	57.46%#
26) 1,2-Dichloroethane-d4	5.30	65	145415	30.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	61.74%#
32) Benzene-d6	5.33	84	417099	28.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	57.56%#
36) 1,2-Dichloropropane-d6	6.32	67	144914	29.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	58.36%#
41) Toluene-d8	7.56	98	354729	27.61	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	55.22%#
43) trans-1,3-Dichloropropene-	7.85	79	63080	27.85	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	55.70%#
47) 2-Hexanone-d5	8.32	63	144324	63.58	ug/L	0.02
Spiked Amount	100.000	Range	45 - 130	Recovery	=	63.58%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	209467	31.26	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	62.52%#
64) 1,2-Dichlorobenzene-d4	11.86	152	133524	28.61	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	57.22%#

Target Compounds					Qvalue
20) cis-1,2-Dichloroethene	4.21	96	6678m	1.627	ug/L
34) Trichloroethene	6.18	95	31018	7.784	ug/L
46) Tetrachloroethene	8.22	164	58321	20.131	ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU030807.D
Acq On : 06 Apr 2019 17:49
Operator : JC/SP
Sample : K2277-09ME
Misc : 4.51g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Apr 08 06:30:20 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Apr 08 05:01:06 2019
Response via : Initial Calibration

