

Data File : VU030830.D
Acq On : 07 Apr 2019 03:02
Operator : JC/SP
Sample : K2277-14 10X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 40 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Apr 08 08:45:03 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Apr 08 07:03:53 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	464371	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	461294	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	183479	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	218422	52.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	105.38%
7) Chloroethane-d5	1.68	69	169154	53.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	107.52%
11) 1,1-Dichloroethene-d2	2.27	63	313939	41.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.74%
21) 2-Butanone-d5	4.17	46	342842	104.35	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.35%
24) Chloroform-d	4.64	84	308814	48.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.54%
26) 1,2-Dichloroethane-d4	5.31	65	221246	51.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.40%
32) Benzene-d6	5.34	84	671044	49.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.66%
36) 1,2-Dichloropropane-d6	6.32	67	234996	50.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.84%
41) Toluene-d8	7.56	98	561295	47.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.04%
43) trans-1,3-Dichloropropene-	7.85	79	92701	44.05	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.10%
47) 2-Hexanone-d5	8.31	63	214222	101.56	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	101.56%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	303003	48.67	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.34%
64) 1,2-Dichlorobenzene-d4	11.86	152	187780	52.04	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.08%

Target Compounds					Qvalue
12) 1,1-Dichloroethene	2.28	96	26943	8.394 ug/L #	1
20) cis-1,2-Dichloroethene	4.22	96	2922m	0.776 ug/L	
46) Tetrachloroethene	8.22	164	254582	94.577 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU030830.D
Acq On : 07 Apr 2019 03:02
Operator : JC/SP
Sample : K2277-14 10X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 40 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Apr 08 08:45:03 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Apr 08 07:03:53 2019
Response via : Initial Calibration

