

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040719\
 Data File : VU030826.D
 Acq On : 07 Apr 2019 01:30
 Operator : JC/SP
 Sample : K2269-02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BR4

Quant Time: Apr 08 08:22:03 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Apr 08 07:03:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	460377	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	452398	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	183833	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	213164	51.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	103.74%
7) Chloroethane-d5	1.68	69	164441	52.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	105.44%
11) 1,1-Dichloroethene-d2	2.27	63	294465	39.62	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	79.24%
21) 2-Butanone-d5	4.17	46	332280	102.02	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.02%
24) Chloroform-d	4.64	84	321620	51.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.46%
26) 1,2-Dichloroethane-d4	5.31	65	222388	51.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.84%
32) Benzene-d6	5.34	84	648921	49.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.28%
36) 1,2-Dichloropropane-d6	6.32	67	222043	49.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.12%
41) Toluene-d8	7.56	98	557128	47.59	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.18%
43) trans-1,3-Dichloropropene-	7.85	79	90117	43.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.32%
47) 2-Hexanone-d5	8.31	63	189815	91.76	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.76%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	297202	48.68	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.36%
64) 1,2-Dichlorobenzene-d4	11.86	152	182928	50.60	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.20%

Target Compounds					Ovalue
13) Acetone	2.32	43	16683	5.005 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040719\
Data File : VU030826.D
Acq On : 07 Apr 2019 01:30
Operator : JC/SP
Sample : K2269-02
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 36 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BR4

Quant Time: Apr 08 08:22:03 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Apr 08 07:03:53 2019
Response via : Initial Calibration

