

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040719\
 Data File : VU030830.D
 Acq On : 07 Apr 2019 03:02
 Operator : JC/SP
 Sample : K2277-14 10X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF2Q0

Manual Integrations
 APPROVED

MMDadoda
 4/10/2019 9:29:26 AM

Quant Time: Apr 09 01:22:50 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Apr 08 07:03:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	464371	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	461294	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	183479	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	218422	52.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	105.38%
7) Chloroethane-d5	1.68	69	169154	53.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	107.52%
11) 1,1-Dichloroethene-d2	2.27	63	313939	41.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.74%
21) 2-Butanone-d5	4.17	46	342842	104.35	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.35%
24) Chloroform-d	4.64	84	308814	48.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.54%
26) 1,2-Dichloroethane-d4	5.31	65	221246	51.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.40%
32) Benzene-d6	5.34	84	671044	49.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.66%
36) 1,2-Dichloropropane-d6	6.32	67	234996	50.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.84%
41) Toluene-d8	7.56	98	561295	47.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.04%
43) trans-1,3-Dichloropropene-	7.85	79	92701	44.05	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.10%
47) 2-Hexanone-d5	8.31	63	214222	101.56	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	101.56%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	303003	48.67	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.34%
64) 1,2-Dichlorobenzene-d4	11.86	152	187780	52.04	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.08%

Target Compounds					Ovalue
12) 1,1-Dichloroethene	2.28	96	26943	8.394 ug/L #	1
20) cis-1,2-Dichloroethene	4.22	96	2921m	0.776 ug/L	
46) Tetrachloroethene	8.22	164	254582	94.577 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040719\
Data File : VU030830.D
Acq On : 07 Apr 2019 03:02
Operator : JC/SP
Sample : K2277-14 10X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 40 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
BF2Q0

Manual Integrations
APPROVED

MMDadoda
4/10/2019 9:29:26 AM

Quant Time: Apr 09 01:22:50 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Apr 08 07:03:53 2019
Response via : Initial Calibration









#12
 1,1-Dichloroethene
 Concen: 8.394 ug/L
 RT: 2.28 min Scan# 369
 Delta R.T. 0.00 min
 Lab File: VU030830.D
 Acq: 07 Apr 2019 03:02

Instrument :
 MSVOA_U
 ClientSampled :
 BF2Q0

Tot Ion	Ratio	Lower	Upper
96	100		
61	252.5	132.0	245.2#
63	703.2	90.9	168.9#




Manual Integrations
 APPROVED


MMDadoda
 4/10/2019 9:29:26 AM



#20
 cis-1,2-Dichloroethene
 Concen: 0.776 ug/L m
 RT: 4.22 min Scan# 974
 Delta R.T. 0.00 min
 Lab File: VU030830.D
 Acq: 07 Apr 2019 03:02

Tgt Ion	Ratio	Lower	Upper
96	100		
61	126.8	102.9	191.1
68	0.0	0.0	0.0





#46
Tetrachloroethene
Concen: 94.577 ug/L
RT: 8.22 min Scan# 2218
Delta R.T. 0.00 min
Lab File: VU030830.D
Acq: 07 Apr 2019 03:02

Instrument :
MSVOA_U
ClientSampleId :
BF2Q0

Tot Ion	Ratio	Lower	Upper
164	100		
129	99.2	67.4	125.2
131	95.5	65.9	122.5
166	123.7	88.6	164.6

Manual Integrations
APPROVED

MMDadoda
4/10/2019 9:29:26 AM

