

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU040819\
 Data File : VU030875.D
 Acq On : 07 Apr 2019 23:00
 Operator : JC/SP
 Sample : K2284-08
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEZA6

Quant Time: Apr 08 05:40:41 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR032919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon Apr 08 04:40:32 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	238660	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	244065	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	95515	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	112512	6.17	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	123.40%
7) Chloroethane-d5	1.68	69	91704	6.24	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	124.80%
11) 1,1-Dichloroethene-d2	2.27	63	165141	4.42	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	88.40%
20) 2-Butanone-d5	4.19	46	301899	64.24	ug/L	-0.03
Spiked Amount	50.000	Range	40 - 130	Recovery	=	128.48%
24) Chloroform-d	4.64	84	165126	5.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	106.80%
26) 1,2-Dichloroethane-d4	5.31	65	106075	6.46	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	129.20%
32) Benzene-d6	5.33	84	361922	5.57	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	111.40%
36) 1,2-Dichloropropane-d6	6.33	67	120897	5.61	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	112.20%
41) Toluene-d8	7.56	98	285667	4.98	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.60%
43) trans-1,3-Dichloropropene-	7.85	79	40464	5.06	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	101.20%
46) 2-Hexanone-d5	8.31	63	189389	54.40	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	108.80%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	98465	6.38	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	127.60%#
64) 1,2-Dichlorobenzene-d4	11.86	152	103197	6.46	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	129.20%#


Target Compounds					Qvalue
13) Acetone	2.32	43	7092	1.952 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU040819\
Data File : VU030875.D
Acq On : 07 Apr 2019 23:00
Operator : JC/SP
Sample : K2284-08
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEZA6

Quant Time: Apr 08 05:40:41 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR032919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Apr 08 04:40:32 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.952 ug/L

RT: 2.32 min Scan# 383

Delta R.T. -0.04 min

Lab File: VU030875.D

Acq: 07 Apr 2019 23:00

Instrument :

MSVOA_U

ClientSampleId :

BEZA6

Tgt Ion: 43 Resp: 7092

Ion Ratio Lower Upper

43 100

58 27.4 0.0 62.8

